

Referências Bibliográficas

ANDERSON, T. B.; JACKSON, R. A fluid mechanical description of fluidized beds - equations of motion. **Industrial and Engineering Chemistry Fundamentals**, v. 6, n. 4, p. 527–539, 1967.

ANDREWS, J.S.; KJORHOLT, H.: **Rock Mechanical Principles Help Predict Proppant Flowback from Hydraulic Fractures**, paper SPE 47382 presented at the 1998 SPE/ISRM Eurock Conference, Trondheim, Norway, 8-10 July.

ASGIAN, M.I.; CUNDALL, P.A.; BRADY, B.H.: **The Mechanical Stability of Propped Hydraulic Fractures: A Numerical Study**, Society of Petroleum Engineers, SPE 28510, New Orleans, Los Angeles, USA, September 25-28, 1995.

BARREE, R. D.; Barree & Associates, **Realistic Assesment of Proppant Pack Conductivity for material selection**, Society of Petroleum Engineers, SPE 84306, Annual Technical Conference and Exhibition in Denver Colorado, U.S.A., 5-8 October, 2003.

BATHE, K. J. **Finite Element Procedures**. [S.l.]: Prentice-Hall International Editions, 1996.

BATENBURG, D.; BIEZEN, E.; WEAVER, J.; **Towards Proppant Back-Production Prediction**, Society of Petroleum Engineers, SPE 54730, The Hague, The Netherlands, June, 1999.

BOUILLARD, J. X.; LYCZKOWSKI, R.W.; and GIDASPOW, D.; **Porosity Distributions in a Fluidized Bed with an Immersed Obstacle**, *AIChE Journal*, Vol. 35, No. 6, pp. 908-922, 1989.

CACHAY, L. R. S.; ROMANEL, C.; LIMA, A. D. R.; **Fluxo de partículas de sustentação em poços de petróleo estimulados por fraturamento hidráulico**. Rio de Janeiro, RJ, 2005. Dissertação de Mestrado, Departamento de Engenharia Civil, Pontifícia Universidade Católica do Rio de Janeiro.

CANON, J. M.; ROMERO, D. J.; PHAM, T. T.; VALKÓ, P. P; **Avoiding proppant flowback in tight gás completions with improved fracture desing**, Society of Petroleum Engineers, SPE 84310, Denver, Colorado, USA, October 5-8, 2003.

CANON, J.M.: **“Predicting Proppant Flowback from Fracture-Stimulated Wells”**, Master of Science Thesis, Texas A&M University, 2003.

CHAIKITTISILP, W.; TAENUMTRAKUL, T.; BOONSUWAN, P.; TANTHAPANICHAKOON, W.; CHARINPANITKUL, T. Analysis of solid particle mixing in inclined fluidized beds using DEM simulation. **Chemical Engineering Journal**, v. 122, p. 21–29, 2006.

COOK, R. D.; MALKUS, D. S.; PLESHA, M. E. **Concepts and Applications of Finite Element Analysis**. Third edition. [S.l.]: John Wiley & Sons, 1989.

CLEARY, P. W. Large scale industrial DEM modelling. **Engineering Computations**, v. 21, n. 2/3/4, p. 169–204, 2004.

COOK, B. K.; NOBLE, D. R.; WILLIAMS, J. R. A direct simulation method for particle-fluid systems. **Engineering Computations**, v. 21, n. 2/3/4, p. 151–168, 2004.

CUNDALL, P. A. A computer model for simulating progressive, large-scale movements in blocky rock systems. In: **Proc. Symp. Int. Soc. Rock Mech.** Nancy: [s.n.], 1971. v. 2, No. 8.

CUNDALL, P. A.; STRACK, O. D. L. A discrete numerical model for granular assemblies. **Géotechnique**, v. 29, n. 1, p. 47–65, 1979.

CUNDALL, P. **The incorporation of fluid coupling into pfc**. 1999. Unpublished.

CUNDALL, P. A.; HART, R. D. Numerical modelling of discontinua. **Engineering Computations**, v. 9, p. 101–113, 1992.

ELY, J.W. e ARNOLD W.T.; **New Techniques and Quality Control Find Success in Enhancing Productivity and Minimizing Proppant Flowback**, Society of Petroleum Engineers, SPE 20708, New Orleans, 1990.

ERGUN, S.; **Fluid Flow through Packed Columns**, *Chemical Engineering Progress*, Vol. 48, No.2, pp. 89-94 (1952).

FENG, Y. T.; OWEN, D. R. J. A 2d polygon/polygon contact model: algorithmic aspects. **Engineering Computations**, v. 21, n. 2/3/4, p. 265/277, 2004.

FUENTE, H. M. de la; FELIPPA, C. A. Ephemeral penalty functions for contact-impact dynamics. **Finite Elements in Analysis and Design**, n. 9, p. 177–191, 1991.

GERA, D.; GAUTAM, M.; TSUJI, Y.; KAWAGUCHI, T.; TANAKA, T. Computer simulation of bubbles in large-particle fluidized beds. **Powder Technology**, v. 98, p. 38–47, 1998.

GOEL, N.; SHAH, S. N. **Experimental investigation of proppant flowback phenomena using a large scale fracturing simulator**, Society of Petroleum Engineers, SPE 56880, Houston, Texas, USA, p. 1-11, 1999.

HAN, K.; FENG, Y. T.; OWEN, D. R. J. Performance comparisons of tree-based and cell-based contact detection algorithms. **Engineering Computations**, v. 24, n. 2, p.165–181, 2007.

HOGUE, C. Shape representation and contact detection for discrete element simulations of arbitrary geometries. **Engineering Computations**, v. 15, n. 3, p. 374–390, 1998.

HOPKINS, M. A. Discrete element modeling with dilated particles. **Engineering Computations**, v. 21, n. 2/3/4, p. 422–430, 2004.

HAIDAR, S. et al., **Novel Fracture Technology Proves Marginal Prospect Economic, Part II: Well Close-up**, Flock and testing: paper SPE 36473 presented at the SPE Annual Technical Conference and Exhibition Denver, Oct 6-9, 1996.

HUSTRULID, A. I.; MUSTOE, G. G. W. A parallel implementation of the discrete element method. In: **Proceedings of 4th U.S. National Congress on Computational Mechanics**. San Francisco: [s.n.], 1997. Website: <http://egweb.mines.edu/dem/>.

KUHN, M. R. Are granular materials simple? an experimental study of strain gradient effects and localization. **Mechanics of Materials**, v. 37, p. 607–627, 2005.

ICG, Inc., **Particle Flow Code in 2 Dimensions PFC 2D**, User's Manual, Minneapolis, Minnesota, USA, 2004

ICG, Inc., **Particle Flow Code in 3 Dimensions PFC 3D**, User's Manual, Minneapolis, Minnesota, USA, 2004

JOHNSON, S.; WILLIAMS, J. R.; COOK, B. Contact resolution algorithm for an ellipsoid approximation for discrete element modeling. **Engineering Computations**, v. 21, n.2/3/4, p. 215–234, 2004.

KAWAGUCHI, T.; TANAKA, T.; TSUJI, Y. Numerical simulation of two-dimensional fluidized beds using the discrete element method (comparison between the two- and three-dimensional models). **Powder Technology**, v. 96, p. 129–138, 1998.

KE, T. **Simulated testing of two dimensional heterogeneous and discontinuous rock masses using discontinuous deformation analysis**. Tese (Doutorado) — University of California, Berkeley, 1993.

LEGARTH, B. et.al. **Stimulation Experiments in Sedimentary, Low- Enthalpy reservoirs for Geothermal Power Generation**, European geothermal Congress, 2003.

LIMTRAKUL, S.; CHALERMWATTANATAI, A.; UNGGURAWIROTE, K.; TSUJI, Y.; KAWAGUCHI, T.; TANTHAPANICHAKOON, W. Discrete particle simulation of solids motion in a gas-solid fluidized bed. **Chemical Engineering Science**, v. 58, p. 915–921, 2003.

LIU, X. L.; LEMOS, J. V. Procedure for contact detection in discrete element analysis. **Advances in Engineering Software**, v. 32, p. 409–415, 2001.

MC. CABE, W.L.; SMITH J.C. **Unit operations of Chemical Engineering**, Mc Graw-Hill Book Co. Inc., New York 146-149, 1976.

McNAMARA, G.; ZANNETTI, G. Use of the Boltzmann equation to simulate lattice-gas automaton. **Physical Review Letters**, v. 61, p. 2332–2335, 1988.

MILTON-TAYLER, D.; STEPHENSON, C.; ASGIAN, M. I. **Factors affecting the stability of proppant in propped fractures: results of laboratory study**, Society of Petroleum Engineers, SPE 24821, Washington, DC, USA, p. 569-579, October 4-7, 1992.

MINDLIN, R.D. e DERESIEWICZ, H. **Elastic spheres in contact under varying oblique forces**. J. Appl. Mech. 20, 327-344, 1953.

MUNJIZA, A. **The Combined Finite-Discrete Element Method**. First edition. England: John Wiley & Sons, Ltd, 2004.

MUNJIZA, A.; ANDREWS, K. R. F. NBS contact detection algorithm for bodies of similar size. **International Journal For Numerical Methods in Engineering**, v. 43, n. 1, p. 131–149, 1998.

NEZAMI, E. G.; HASHASH, Y. M. A.; ZHAO, D.; GHABOUSSI, J. A fast contact detection algorithm for 3-d discrete element method. **Computers and Geotechnics**, v. 31, p. 575–587, August 2004.

OÑATE, E.; ROJEK, J. Combination of discrete element and finite element methods for dynamic analysis of geomechanics problems. **Computer methods in applied mechanics and engineering**, n. 193, p. 3087–3128, 2004.

O’SULLIVAN, C.; BRAY, J. D. Selecting a suitable time step for discrete element simulations that use the central difference time integration scheme. **Engineering Computations**, v. 21, n. 2/3/4, p. 278–303, 2004.

OUADFEL, H.; ROTHENBURG, L. An algorithm for detecting inter-ellipsoid contacts. **Computers and Geotechnics**, v. 24, p. 245–263, 1999.

PARKER, M.; WEAVER, J.; VAN BATENBURG, D. **Understanding proppant flowback**, Society of Petroleum Engineers, SPE 56726, Houston, Texas, USA, October 3-6, 1999.

PATANKAR, S. V. **Numerical Heat Transfer and Fluid Flow**. Washington: Hemisphere, 1980.

PERKINS, E.; WILLIAMS, J. R. A fast contact detection algorithm insensitive to object size. **Engineering Computations**, v. 18, n. 1-2, p. 48–61, 2001.

PENNY, G.S.; **An Evaluation of the Effects of Environmental conditions and Fracturing Fluids Upon the Long-Term conductivity of Proppants**, Dallas, TX, September, 1987.

PREECE, D. S.; WILLIAMS, J. R. **Discrete Element Modeling**. Website: <http://www.sandia.gov/Subsurface/factshts/geomechanics/dem.pdf>. Sandia National Laboratories.

PREECE, D. S.; JENSEN, R. P.; PERKINS, E. D.; WILLIAMS, J. R. Sand production modeling using superquadric discrete elements and coupling of fluid flow and particle motion. In: AMADEI, B.; KRANZ, R. L.; SCOTT, G. A.; SMEALLIE, P. H. (Ed.). **Proceedings of the 37th US Rock Mechanics Symposium**. Amsterdam: Balkema, 1999.

ROBINSON, S.M., Holditch, S.A., WHITEHEAD, W.S., **Minimizing Damage to a Propped Fracture by Controlled Flowback Procedures**, journal of Petroleum Technology, June, 1988.

SANTOS, F. J. C.; FERNANDES, P. D. **Análise da reologia e filtração de fluidos de fraturamento hidráulico e sua influência na otimização de projetos**. Macaé, RJ, 2004. 105p. Monografia (Especialização em Engenharia de Reservatório e de Exploração do Petróleo) – Faculdade de Engenharia de Exploração e Produção de Petróleo, Universidade Estadual do Norte Fluminense.

SHAMY, U. E. **A coupled continuum-discrete fluid-particle model for granular soil liquefaction**. Tese (Doutorado) — Rensselaer Polytechnic Institute, Troy, New York, 2004. Major Subject: Civil and Environmental Engineering.

SHIU, W. J.; DONZE, F. V. Numerical study of rockfalls on covered galleries by the discrete elements method. In: DONZÉ, F. V. (Ed.). **Annual Report 2004 of Discrete Element Group for Risk Mitigation**. Joseph Fourier University, Grenoble, France; website: http://geo.hmg.inpg.fr/frederic/articles/GED_2004/annual_report_GED_2005.pdf, 2005. cap. Part 2: Rock fall impact on protective structures, p. 67–81.

SCHWEIGER, H.F. **Numerical Methods in Geotechnical Engineering: Proceedings of the Sixth European Conference in Geotechnical Engineering**, Graz, Austria, September 2006. Published by Taylor & Francis, 2006, pag 41-46.

SMITH, M.B. et al. enhanced 2DProppant Transport Simulation: **The key to understanding Proppant Flowback and Post-Flack Productivity**, Society of Petroleum Engineers, SPE 38610, Annual Technical Conference and Exhibition, San Antonio, Texas, 447-456, 1997.

SPARLIN, D. D.; HAGEN, R. W. **Proppant selection for fracturing and sand control**, World Oil, p. 37-40, January, 1995.

STADALMAN, J.R.; NONVOTING, R.J.; HOUCHIN L.R. **Understanding longevity**, Paper SPE 14160, Technical Conference and Exhibition, Las Vegas, Nev., Sept. 22-25, 1985.

TANNANT, D. D.; WANG, C. Thin tunnel liners modelled with particle flow code. **Engineering Computations**, v. 21, n. 2/3/4, p. 318–342, 2004.

TERRACINA, J., PARKER, M. PONGRATZ, R. e POOLE, R. **How to Reduce Proppant Flowback in High – Rate Wells**. Society of Petroleum Engineers, SPE 68602, Middle East Oil Show held in Bahrain, 2001.

TSUJI, Y.; KAWAGUCHI, T.; TANAKA, T. Discrete particle simulation of two-dimensional fluidized bed. **Powder Technology**, v. 77, p. 79–87, 1993.

VELLOSO, R. Q.; VARGAS-JR, E. A.; CAMPOS, J. L. E.; GONÇALVES, C. A numerical implementation to simulate fluid-mechanical processes in sand production using discrete elements in geotechnical engineering. In: **Proceedings of the IV International Workshop Applications of Computational Mechanics and Geotechnical Engineering**. [S.l.: s.n.], 2003. p. 237–248.

VELOZO, L.T. ROEHL, D., FERNANDES, P. **Estudo da estabilidade do material de sustentação de fraturas estimuladas hidraulicamente em poços de petróleo**. Rio de Janeiro, RJ, 2006. Monografia (Especialização em Geotecnia) – Faculdade de Engenharia Civil, Pontifícia Universidade Católica.

WEN, C. Y.; Yu, W.H. **Mechanics of Fluidization**, *Chemical Engineering Progress Symposium Series*, Vol. 62, pp. 100-111 (1966).

WEAVER J.D.; BAKER J.D.; WOOLVERTON, S.; PARKER M.A. **Application of Surface Modification Agent in Wells With High Flow Rates**, Society of Petroleum Engineers, SPE 53923, Caracas, Venezuela, April 21-23, 1999.

WILLIAMS, J. R.; O’CONNOR, R. A linear complexity intersection algorithm for discrete element simulation of arbitrary geometries. **Engineering Computations**, v. 12, p. 185–201, 1995.

WILLIAMS, J. R.; PENTLAND, A. P. Superquadrics and modal dynamics for discrete elements in interactive design. **Engineering Computations**, v. 12, p. 145–174, 1992.

WILLIAMS, J. R.; PERKINS, E.; COOK, B. A contact algorithm for partitioning n arbitrary sized objects. **Engineering Computations**, v. 21, n. 2/3/4, p. 235/248, 2004.

YAO, M.; ANANDARAJAH, A. Three-dimensional discrete element method of analysis of clays. **Journal of Engineering Mechanics**, v. 129, n. 6, p. 585–596, 2003.

ZHAO, D.; NEZAMI, E. G.; HASHASH, Y. M. A.; GHABOUSSI, J. Three-dimensional discrete element simulation for granular materials. **Engineering Computations**, v. 23, n. 7, p. 749–770, 2006.

ZIENKIEWICZ, O. C.; MORGAN, K. **Finite elements and approximation**. [S.l.]: John Wiley & Sons, Ltd, 1983.

Normas API

RP-56 (1995), **Recommended Practices for Testing Sand Used in Hydraulic Fracturing Operations**, 2a ed., American Petroleum Institute, Washington, DC.

RP-58 (1995), **Recommended Practices for Testing Sand Used in Gravel Packing Operations**, 2a ed., American Petroleum Institute, Washington, DC.

RP-60 (1995), **Recommended Practices for Testing High-Strength Proppant Used in Hydraulic Fracturing Operations**, 2a ed., American Petroleum Institute, Washington, DC.

RP-61 (1989), **Recommended Practices for Evaluating Short Term Proppant Pack Conductivity**, American Petroleum Institute, Washington, DC.

Páginas eletrônicas

<http://www.carboceramics.com>