

10.

Referências Bibliográficas

ABNT – Associação Brasileira de Normas Técnicas. NBR's 7181/1984, 6459/1984, 6484/2001, 7180/1984, 6508/1984, 6508/1984, 6457/1986, 2887/1988, 3336/1990.

ALMEIDA, M. S. S. (1996) Aterros Sobre Solos Moles: Da Concepção à Avaliação de Desempenho, UFRJ.

ALMEIDA, M. S. S., FUTAI, M. M., LACERDA, W. A; MARQUES, M.E.S. (2008). Laboratory Behaviour of Rio de Janeiro Soft Clays. Part 1: Index and Compression Properties, Soils and Rocks, v. 31, p. 69-75.

ALMEIDA, M. S. S.; MARQUES, M.E.S. (2002). The behaviour of Sarapuí soft organic clay. International Workshop on Characterisation and Engineering Properties of Natural Soils, Singapore. Editors: T.S. Tan, K.K. Phoon, D.W. Hight, and S. Leroueil, vol. 1, pp. 477– 504.

ALMEIDA, M. S. S.; MARQUES, M.E.S. (2010). Aterros sobre solos moles, projeto e desempenho. São Paulo: Oficina de Textos.

ALMEIDA M. S. S.; MARQUES M. E. S.; BARONI M.. (2010). Geotechnical parameters of very soft clays from CPTu. 2nd International Symposium on Cone Penetration Testing, Huntington Beach, CA, USA, 2:46.

ANAGNOSTOPOULOS, A. G. (1982). Compressibility behaviour of soft lignite. Journal of the Geotechnical Engineering Division, ASCE, Vol. 108, No. GT12, p. 1549-1566.

ANAGNOSTOPOULOS, A. C.; GRAMMATIKOPOULOS, I. N. (2009). A New Model for the Prediction of Secondary Consolidation Index of Low and Medium Plasticity Clay Soils, European Journal of Scientific Research ISSN 1450-216X Vol.34 No.4, pp.542-549.

ANDRADE, M. E. S. (2009) Contribuição ao estudo das argilas moles da cidade de Santos Dissertação de Mestrado, Rio de Janeiro: UFRJ/COPPE, 397p.

ANDRESEN A.; KOLSTAD P. (1979) The NGI 54-mm samplers for undisturbed sampling of clays and representative sampling of coarser materials, Proc. of the Int. Conference on Soil Sampling, Singapore, 1–9.

ARMOUR, D. W.; DRNEVICH, V. P. (1986). Improved Techniques for the Constant-rate-of-strain Consolidation Test, ASTM Special Technical Publication, No. 892, pp 170-183.

ASAOKA, A. (1978). Observational procedure of settlement prediction, Soils and Foundations, V.18, No. 4.

BALIGH, M. M. (1986). Undrained Deep Penetration, II: Pore Pressure, Geotechnique, Vol. 36, No 4, pp.487-501.

BALIGH, M. M., AZZOUZ, A. S.; CHIN, C. T. (1987). Disturbances due to "ideal" tube sampling. Journal of Geotechnical Engineering, ASCE, Vol. 113, No. 7, p. 739-757.

BALIGH, M. M.; LEVADOUX, J. N. (1980). "Pore Pressure Dissipation after Cone Penetration," Research Report R80-11, Order No. 662, Dept. of Civil Engineering, Massachusetts Institute of Technology, Cambridge, Mass., Apr., pp. 367

BALIGH, M.M.; LEVADOUX, J. N. (1986). "Consolidation after undrained piezocone penetration II: Interpretation," ASCE Journal of Geotechnical Engineering, Vol. 112, No GT7, pp. 727-745.

BARDEN, L. (1968). Primary and Secondary Consolidation of clay and peat, Geotechnique, vol. 18, pp. 1-24.

BARRON, R. A. (1948). "Consolidation of fine-grained soils by drain wells," Trans. ASCE, 113, pp. 718-754.

BECKER, D. E.; CROOKS, J. H., BEEN, K.; JEFFERIES, M. G. (1987). "Work as a criterion for determining in situ and yield stresses in clays. Can. Geotech. J., 24(4), 549-564.

BEDESCHI, M. V. R. (2004) Recalques em aterro instrumentado construído sobre depósito muito mole com drenos verticais na Barra da Tijuca, Rio de Janeiro, Tese MSc, COPPE/UFRJ, PEC.

BEGEMANN, H. K. S. (1965). The friction jacket cone as an aid in determining the soil profile. Proceedings of the 6th International Conference on Soil Mechanics and Foundation Engineering, ICSMFE, 2, (17 – 20). Montreal, September 8 - 15.

BIOT, M. A. (1941) General Theory of Three-Dimensional Consolidation. Journal of Applied Physics, 12, p. 155-164.

BISHOP, A. W.; KENNARD, M. F.; VAUGHAN, P. R. (1964). Developments in the Measurement and Interpretation of Pore Pressure in Earth Dams. In: International Congress on Large Dams, 8., Edinburgh – Escócia: CIGB-ICOLD.

BJERRUM, L. (1973). Problems of soil mechanics and construction on soft clays and structurally unstable soils (collapsible, collapsible, expansive and others). Proceedings VIIIth ICSMFE, Moscow, Vol. 3, p. 111-159.

BJERRUM, L.; NASH, J. K. T. L.; KENNARD, R. M.; GIBSON, R.R. (1972). Hydraulic Fracturing in Field Permeability. *Géotechnique*, v.22, n.2.

BOWLES, J. E. (1997) Foundation analysis and design, 5 th ed. The McGraw-Hill Companies, Inc.

BRINKGREVE, R. B. J. *et al* (2002). Plaxis: Finite elemento code for soil and rock analysis. Version 8, A. A. Totterdam: Balkema.

BUISMAN, A. S. K. (1936). "Results of Long Duration Settlement Tests", Proceedings, First International Conference on Soil Mechanics and Foundation Engineering, Cambridge, Massachussets, vol.1, pp. 103-105.

BURLAND, J. B. (1990). On The Compressibility and Shear-Strength of Natural Clays, 30th Rankine Lecture - *Geotechnique*, 1990, Vol: 40, p. 329-378, ISSN:0016-8505.

BUTTERFIELD, R. (1979). A natural compression law for soils (an advance on e -log p'). Technical note, *Géotechnique*, Vol. 29, No. 4, p. 468-480.

CABRAL, S. (1979). Mapeamento geológico-geotécnico da baixada de Jacarepaguá e maciços circunvizinhos, Dissertação de Mestrado, IGEO, UFRJ, Rio de Janeiro.

CAMPOS, A. C. S. L. (2006). Características de compressibilidade de uma argila mole da Zona Industrial de Santa Cruz, Rio de Janeiro, Dissertação de Mestrado, Departamento de Engenharia Civil, PUC-Rio, 175 p.

CARRILLO, N. (1942). "Simple two and three dimensional cases in the theory of consolidation of soils," *J. of Math. And Physics*, 21, No. 1, pp. 1-5.

CASAGRANDE, A. (1936). The determination of the pre-consolidation load and its practical significance. In *Proc. of the 1st ICSMFE*, Cambridge, Mass., 22–26 June 1936. Edited by A. Casagrande. Graduate School of Engineering, Harvard University, Cambridge, Mass. Vol. 3, pp. 60–64.

CEDERGREN, H. R. (1977). Seepage, drainage and flow nets. 2th ed., Jonh Wiley and Sons Inc.

CHANDLER, R. J. (1988), "The In-Situ Measurement of the Undrained Shear Strength of Clays Using the Field Vane," *ASTM STP No. 1014*, pp. 13-44.

CLAYTON C. R. I.; SIDDIQUE A.; HOPPER R. J. (1998). Effects of sampler design on tube sampling disturbance – Numerical and analytical investigations, *Géotechnique*, 48(6), 847–867.

CLEMENTINO, R. V. (2005). Discussion: An oedometer test study on the preconsolidation stress of glaciomarine clays. *Canadian Geotechnical J.* 42 (3): 972-976.

COELHO, P. A. L. F. (2000). Caracterização geotécnica de solos moles - Estudo do local experimental da Quinta do Foja (Baixo Mondego), Dissertação de Mestrado, Departamento de Engenharia Civil da Faculdade de Ciências e Tecnologia Universidade de Coimbra, 426 p.

COUTINHO, R. Q. (1986). Aterro Experimental Instrumentado Levado à Ruptura sobre Solos Orgânicos – Argilas Moles da Barragem de Juturnaíba, Dissertação de Mestrado, COPPE-UFRJ.

COUTINHO, R. Q; OLIVEIRA, T. R. O.; OLIVEIRA, A. T. J. (2002). Estudo quantitativo da qualidade de amostras de argilas moles Brasileiras - Recife e Rio de Janeiro, 12º COBRAMSEG, ABMS, Brasília.

CRAWFORD, C. B. (1964). "Interpretation of the Consolidation Test," *Journal of the Soil Mechanics and Foundations Division, American Society of Civil Engineers*, Vol. 90, SM5, pp. 87- 102.

CRAWFORD, C. B. (1986). "State of the Art: Evaluation and Interpretation of soil consolidation tests", *Consolidation of Soils: Testing and Evaluation*, ASTM STP 892, R. N. Yong and F. C. Townsend, Eds, ASTM, Philadelphia, pp. 71-103.

DANZIGER, F. A. B.; SOARES, M. S. S.; SILLS, G. C. (1997). The significance of the strain path analysis in the interpretation of piezocone dissipation data. *Geotechnique*, 46(2):143-154.

DEGROOT, D. J., POIRIER, S. E.; LANDON, M. M. (2005). Sample Disturbance – Soft Clays, *Studia Geotechnica et Mechanica*, Vol. XXVII, No. 3 - 4.

DONALD, I. B., JORDAN, D. O., PARKER, R. J.; TO, C. T. (1977). The vane test – a critical appraisal. *Proc. 9th Int. Conf. Soil Mech.* 1, p. 81-88.

DOUGLAS, B. J.; OLSEN, R. S. (1981). Soil classification using electric cone penetrometer. *American Society of Civil Engineers, ASCE, Proceedings of Conference on Cone Penetration Testing and Experience*, (209–227). St. Louis, October 26 - 30.

DUNCAN, J. M. (1993). Limitations of conventional analysis of consolidation settlement. *Journal of Geotechnical Engineering, ASCE*, Vol. 119, No. 9, p. 1333-1357.

ESLAMI, A.; FELLENIUS, B. H. (1996). Pile shaft capacity determined by piezocone (CPTu) data. Proceedings of 49th Canadian Geotechnical Conference, September, St. John's, Newfoundland, 2, pp. 859–867.

FRANKLIN, A. G., OROZCO, L. F.; SEMRAU, R. (1973). Compaction and strength of slightly organic soils. Journal of the Soil Mechanics and Foundations Division, ASCE, Vol. 99, No. SM7, p. 541-557.

FUTAI, M. M. (2010). Considerações sobre a Influência do Adensamento Secundário e do Uso de Reforços em Aterros sobre Solos Moles. Tese de Livre Docência, Departamento de Estruturas e Geotécnica, Escola Politécnica da Universidade de São Paulo, 178 p.

GARCÉS, V. A. N. (1995) Características de Deformabilidade e Adensamento de Alguns Depósitos de Argila Mole do Rio de Janeiro, Dissertação de Mestrado, Departamento de Engenharia Civil, PUC-Rio, Rio de Janeiro, 195 p.

GRAY, H. (1936). "Progress Report on Research on Consolidation of Fine-Grained Soils", Proceedings, First International Conference on Soil Mechanics and Foundation Engineering, Cambridge, Massachusetts, vol.1, pp. 138-141.

GIBSON, R.E. (1963). A Note on the Constant Head Test to Measure Soil Permeability In Situ. Géotechnique, v.16, n.3.

GIBSON, R. E.; LO, K. Y. (1961). A theory of consolidation for soils exhibiting secondary compression, NGI, 41.

HAMILTON, J. J.; CRAWFORD, C. B. (1959). "Improved Determination of Preconsolidation Pressure of a Sensitive Clay," in Papers on Soils, ASTM STP 254, American Society for Testing and Materials, Philadelphia, pp. 254-271.

HANSBO, S. (1979). Consolidation of Clay by Band-Shaped Prefabricated drains. Ground Engineering, Vol. 12, No. 5, pp. 16-25.

HANSBO, S.; JAMIOLKOVSKI, M.; KOK, L. (1981) Consolidation with vertical drains, Geotechnique, V.31, No. 1.

HOULSBY, G. T.; TEH, C. I. (1988). Analysis of the piezocone tests in clay, In: De Ruiter J (ed.), Penetration Testing, Proc. 1st Isopt, Orlando, Balkema, Rotterdam, vol 2, pp 777-783.

HUANG, W.; FITYUS, S.; BISHOP, D.; SMITH, D.; SHENG, D. (2006). Finite-Element Parametric Study of the Consolidation Behavior of a Trial Embankment on Soft Clay. International Journal of Geomechanics, Vol. 6, No. 5, October 1.

HVORSLEV, M. J. (1949). Time lag and soil permeability in ground-water observations. *Waterways Exper. Sta, Corps of Engrs, U. S. Army, Vicksburg, Mississippi*, pp. 1-37.

HVORSLEV, M. J. (1951). Time lag in observation of ground-water levels and pressures. *Bull. No. 36, Waterways Exper. Sta, Corps of Engrs, U. S. Army, Vicksburg, Mississippi*, pp. 1-50.

JAMIOLKOWSKI, M.; LADD, C. C.; GERMAINE, J. T.; LANCELLOTTA, R. (1985). New developments in field and laboratory testing of soils - Theme lecture. *Proceedings XIth ICSMFE, San Francisco, Vol. 1*, p. 57-153.

JANBU, N. (1965). Consolidation of clay layers based on non-linear stress-strain. *Proceedings of 6th ICSMFE, Vol. 2, Montreal*, pp.83-87.

JEFFERIES, M. G.; DAVIES, M. P. (1993). Use of CPTu to estimate equivalent SPT N60. *American Society for Testing and Materials, ASTM, Geotechnical Testing Journal*, 16(4), December, 458–468.

JONES, G. A.; RUST, E. (1982). Piezometer penetration testing, CUPT. *Proceedings of the 2nd European Symposium on Penetration Testing, ESOPT-2, 2, (607-614). Amsterdam, May 24 - 27.*

KABBAJ, M.; TAVENAS, F.; LEROUÉIL, S. (1988). In situ and laboratory stress- strain relationships. *Géotechnique, Vol. 38, No. 1*, p. 83-100.

KAVVADAS, M.; BALIGH, M. M. (1982). "Nonlinear consolidation analyses around pile shafts", *Proceedings, BOSS '82, Cambridge, Mass., Vol.2*, pp. 338-347.

KULHAWY, F. H.; MAYNE, P. H. (1990). Manual on estimating soil properties for foundation design. *Electric Power Research Institute (EPRI), Palo Alto, Calif. Report EL-6800.*

LACERDA, W. A.; COUTINHO, R. Q.; COSTA FILHO, L. M.; DUARTE, A. E. R. (1977) Consolidation characteristics of Rio de Janeiro soft clay. *Proceedings of the International Symposium on Soft Clay, Bangkok*, pp. 231-243.

LADD C.C. (1991), Stability evaluation during stage construction, *J. of Geotech. Engrg.*, 117(4), p. 540–615.

LADD C. C.; DEGROOT D. J. (2003). Recommended practice for soft ground site characterization: Arthur Casagrande Lecture, *Proc. 12th Panamerican Conf. on Soil Mechanics and Geotech. Eng., MIT, Vol. 1*, p. 3–57.

LADD, C.C.; FOOT, R. (1974). New design procedures for stability of soft clays. *Jour. of Geot. Eng. Division*, v. 100:7, p. 763-786.

LADD, C.C.; FOOTT, R.; ISHIHARA, K.; SCHLOSSER, F.; POULOS, H.G. (1977). "Stress-deformation and strength characteristics: SOA report." Proc., 9th Int. Conf. on Soil Mechanics and Foundation Eng., Tokyo, 2, 421-494.

LAMBE, T. W. (1973). Predictions in soil engineering. *Geotechnique* 23, No. 2, p. 149-202.

LAMBE, T. W.; WHITMAN, R. V. (1969). *Soil Mechanics*. SI Version, John Wiley and Sons, Inc., New York.

LACASSE S.; BERRE T. (1988) State-of-the-Art: Triaxial testing methods for soils, *Advanced Triaxial Testing of Soil and Rock*, ASTM STP 977, 264-289.

LARSSON, R.; SÄLLFORS, C. (1986). "Automatic Continuous Consolidation Testing in Sweden," *Consolidation of Soils: Testing and Evaluation*, ASTM STP 892, R. N. Yong and F. C. Townsend, Eds., American Society for Testing and Materials, Philadelphia, pp. 299-328.

LEONARDS, G.A. (1972). Discussion, Shallow foundations. Proc. Spec. Conf. on Performance of Earth-Supported Structures , ASCE, Lafayette, IN, (3): 169-173.

LEONARDS, G . A.; RAMIAH, B. K. (1960). "Time Effects in the Consolidation of Clays," in *Papers on Soils*, ASTM STP 254, American Society for Testing and Materials, Philadelphia, pp. 116-130.

LEROUEIL, S.; LE BIHAN, J. P.; TAVENAS, F. (1980). An approach for the detennination of the preconsolidation pressure in sensitive clays. *Can. Geotech.* 1. 17, No.3, 446-453.

LEROUEIL, S., BOUCLIN, G., TAVENAS, F., BERGERON, L.; LA ROCHELLE, P. (1990). Permeability anisotropy of natural clays as a function of strain. *Canadian Geotechnical Journal*, Vol. 27, No. 5, p. 568-579.

LEROUEIL, S., KABBAJ, M., TAVENAS, F.; BOUCHARD, R. (1985). Stress-strain-strain rate relation for the compressibility of sensitive natural clays. *Géotechnique*, Vol. 35, No. 2, p. 159-180.

LEROUEIL, S., MAGNAN, J.P.; TAVENAS, F. (1990). *Embankments on soft clays*. Ellis Horwood Series in Civil Engineering, Geotechnics Section. England.

LEROUEIL, S.; SAMSON, L.; BOZOZUK, M. (1983). "Laboratory and Field Determination of Preconsolidation Pressures at Gloucester," *Canadian Geotechnical Journal*, Vol. 20, No. 3, pp. 477-490.

LEROUEIL, S.; TAVENAS, F. (1981). Pitfalls of backanalysis, Proc. of 10th International Conference on Soil Mechanics and Foundation Engineering, Stockholm, Sweden, 185-190.

LEVADOUX, J. N.; BALIGH, M. M. (1980). "Pore Pressures during Cone Penetration in Clays," Research Report R80-15, Order 66, Dept. of Civil Engineering, Massachusetts Institute of Technology, Cambridge, Mass., Apr., 310 pp.

LEVADOUX, J. N.; BALIGH, M. M. (1986), "Consolidation after undrained piezocone penetration. I: Prediction", ASCE. Journal of Geotechnical Engineering, Vol. 112, No. GT7, pp 707-726.

LUNNE, T.; BERRE, T.; STRANDVIK, S. (1997) Sample Disturbance Effects in Soft Low Plastic Norwegian Clay. Recent Developments in Soil and Pavement Mechanics, Almeida (ed). Balkema, Rotterdam, p. 81-102.

MARTINS, I. S. M.; LACERDA, W. A. (1985). "A Theory of Consolidation with Secondary Compression", Proceedings, XI International Conference on Soil Mechanics and Foundation Engineering, San Francisco, vol.1, pp. 567-570.

MARTINS, I. S. M.; LACERDA, W. A. (1989). Discussão de "C_c α Concept and K₀ during Secondary Compression", por Mesri, G. e Castro, A., Journal of Geotechnical Engineering, ASCE, vol. 115, n.2, February, pp. 264-267.

MARTINS, I. S. M.; LACERDA, W. A. (1994). "Sobre a Relação Índice de Vazios Tensão Vertical Efetiva na Compressão Unidimensional", Solos e Rochas, v. 17:3, pp. 157-166, São Paulo.

MASSAD, F. (1982). Método gráfico para acompanhamento da evolução dos recalques com o tempo, 7o Cong. Brasileiro de Mecânica dos Solos, ABMS, Recife.

MAYNE, P. W.; KULHAWY, F. H. (1982). K₀-OCR relationships in soil. Journal of the Geotechnical Engineering Division, ASCE, Vol. 108, No. GT6, p. 851-872.

MAYNE, P. W.; MATTHEW R.; SARAH M. S.; HUANG, A.; ZORNBERG, J. G. (2009). Geomaterial behavior and testing. Proceedings of the 17th International Conference on Soil Mechanics and Geotechnical Engineering, M. Hamza *et al.* (Eds.), IOS Press. doi:10.3233/978-1-60750-031-5-2777.

MENZIES, B. K.; MERRIFIELD, C. M. (1980). Measurements of shear stress distribution on the edges of shear vane blade. Geotechnique 30, p. 314-318.

MESRI, G. (1987). "Fourth law of soil mechanics: A law of compressibility". Proc. Int. Symp. Geotech. Engrg. of soft soil, Mexico City, May, 2, pp. 179-187.

MESRI, G. (2004). Primary compression and secondary compression. Soil Behavior and Soft Ground Construction, ASCE, Proceedings of Symposia in Honor of Charles C. Ladd, pp. 122-166.

MESRI, G.; AJLOUMI, M. A.; FENG, T. W.; LO, D. O. K. (2001). Surcharging of soft ground to reduce secondary compression. Proc. 3rd Int. Conf. on Soft Soil Engineering, December 6-8, Hong Kong, 55-65.

MESRI, G.; CASTRO, A. (1987). C_α/C_c concept and k_0 during secondary compression. Journal of Geotechnical Engineering, Vol. 113, No. 3, p. 230-247.

MESRI, G.; CHOI, Y. K. (1984). Discussion, "Time effects on the stress-strain behavior of natural soft clays" by J. Graham, J. H. A.; Crooks and A. L. Bell, Géotechnique, Vol. 34, No. 3, pp. 439-442.

MESRI, G.; CHOI, Y.K. (1985). The uniqueness of the end-of primary (EOP) void ratio effective stress relationship. Proceedings XIth ICSMFE, San Francisco, California, Vol. 2, p. 587-590.

MESRI, G., FENG, T.W., ALI, S.; HAYAT, T.M. (1994). Permeability characteristics of soft clays. Proceedings XIIIth ICSMFE, New Delhi, India, p. 187-192.

MESRI, G., FENG, T. W.; SHAHIEN, M (1995). Compressibility parameters during primary consolidation. Invited Special Lecture. Int. Symp. Compression and Consolidation of Clayey Soils, Hiroshima, Japan, May, Lectures and Reports Volume, 201-217

MESRI, G.; GODLEWSKI, P. M. (1977). Time- and stress-compressibility interrelationship. J. Geotech. Engng Div. Am. Soc. Ciu. Engrs 103, GT 5, 417- 430.

MESRI, G. AND OLSON, R, E. (1971) "Mechanisms Controlling the Permeability of Clays." Clays and Clay Minerals, Vol.19, No 3: pp. 151-158.

MESRI, G.; ROKHSAR, A. (1974). Theory of consolidation for clays. ASCE, Journal of the Geotechnical Engineering Division, Vol. 100, No. GT8, pp. 889-904.

MESRI, G., STARK, T. D., AJLOUNI, M. A.; CHEN, C. S. (1997). Secondary Compression of Peat With or Without Surcharging. J. Geotech. Geoenviron. Eng., 123(5), p. 411-421.

MESRI, G.; TAVENAS, F. (1983). "Permeability and Consolidation of Normally Consolidated Soils." Discussion, Journal of the Geotechnical Engineering Division, ASCE, 109, 6, pp. 873-878

NAGARAJ, T. S.; MURTHY, B. R. S.; VATSALA, A.; JOSHI, R. C. (1990). Analysis of compressibility of sensitive soils. Journal of Geotechnical Engineering, Vol. 116, No. 2, p. 349-352.

NOGUEIRA, C. L., AZEVEDO, R. F.; ZORNBERG, J. G. (2011). Validation of coupled simulation of excavations in saturated clay: camboinhas case history. ASTM STP Vol. 11, No. 3, pp. 202-210.

OH, E. Y. N. (2007). Geotechnical and Ground Improvement Aspects of Motorway Embankments in Soft Clay, Southeast Queensland. PhD Tesis. Griffith University, Australia.

OLSON, R. E. (1998). Settlement of embankments on soft clays. Journal of Geotechnical and Geoenvironmental Engineering, ASCE, Vol. 124 (4), pp.278-288.

ORLEACH, P. (1983). Techniques to evaluate the field performance of vertical drains. MSc Thesis, MIT, USA.

ORTIGÃO, J. A. R., WERNECK, M. L. G.; LACERDA, W. A. (1983). Embankment failure on clay near Rio de Janeiro. Journal of the Geotechnical Engineering Division, ASCE, vol. 109, no 11, 1460-1479.

PACHECO SILVA, F. (1970). A new graphical construction for determination of the pre-consolidation stress of a soil sample. In Proceedings of the 4th Brazilian Conference on Soil Mechanics and Foundation Engineering, Rio de Janeiro, Brazil. Vol. 2, No.1, pp. 225–232.

RIBEIRO, L. F. M. (1992). Ensaio de laboratório para determinação das características geotécnicas da argila mole de Sergipe. Rio de Janeiro. 125p. Dissertação de Mestrado – Departamento de Engenharia Civil, PUC-Rio.

RIXNER, J.J.; KRAEMER, S. R.; SMITH, A.D. (1986). Prefabricated Vertical Drains - Engineering Guidelines - Vol. I. FHWA/RD-86/168.

ROBERTSON, P. K. (1990). Soil classification using the cone penetration test. Canadian Geotechnical Journal, 27(1): 151–158. doi:10. 1139/t90-014.

ROBERTSON, P. K. (2009-a). Interpretation of cone penetration tests - a unified approach, Canadian Geotechnical Journal, Vol. 46, p.1337-1355.

ROBERTSON, P. K. (2009-b). Piezocone tests in engineering applications. Apostila do seminário de Engenharia Civil – PUC-Rio.

ROBERTSON, P. K., CAMPANELLA, R. G., GILLESPIE, D.; GRIEG, J. (1986). Use of piezometer cone data. Proceedings of American Society of Civil Engineers, ASCE, In-Situ 86 Specialty Conference, (1263–1280). Edited by S. Clemence, Blacksburg, June 23 - 25, Geotechnical Special Publication GSP No. 6.

ROBERTSON, P.K., SULLY, J. P., WOELLER, D. J., LUNNE, T. POWELL, J. J.; GILLESPIE, D. G. (1992). Estimating coefficient of consolidation from piezocone tests. Canadian Geotechnical Journal, Vol. 29(4), pp. 539–550.

ROBERTSON, P. K.; WRIDE, C. E. (1998). Evaluating cyclic liquefaction potential using the cone penetration test. Canadian Geotechnical Journal, 35(3): 442–459. doi:10.1139/cgj-35-3-442.

ROCHA FILHO, P.; ALENCAR, J. A. (1985). Piezocone Tests in the Rio de Janeiro soft clay deposit. Proc. XI Int. Conf. Soil Mech. Found. Eng., San Francisco, 2: 859-862.

ROSCOE, K.H.; BURLAND, J. B. (1968). On the generalized stress-strain behaviour of wet clay. In Engineering Plasticity, eds. J. Heyman and F.A. Leckie, 535-609. Cambridge, England: Cambridge University Press.

RUSSO NETO, L. (1980). Aterro instrumentado a recalques sobre depósito mole turfoso na margem oeste da lagoa de Itaipu, RJ. Dissertação de Mestrado, Departamento de Engenharia Civil, PUC-Rio, 169 p.

SAMARASINGHE, A. M.; HUANG, Y. H.; DRNEVICH, V. P. (1982). Permeability and consolidation of normally consolidated soils. Journal of the Geotechnical Engineering Division, vol. 108. American Society Of Civil Engineers, pp. 835–850. Number Gt6.

SANDRONI, S. S. (2006-a). Obtendo Boas Estimativas de Recalque em Solos Muito Moles: O Caso da Barra da Tijuca, Rio de Janeiro. XIII COBRAMSEG, Curitiba, Vol 1, p.507-512.

SANDRONI, S. S. (2006-b). Sobre a prática brasileira de projetos geotécnicos de aterros rodoviários em terrenos com solos muito moles. XIII COBRAMSEG, Curitiba, em CD.

SANDRONI, S. S. (2010, 2011-a e 2012) – Comunicação Pessoal.

SANDRONI, S. S. (2011-b) – Notas de aula da disciplina “Da prática à teoria em mecânica dos solos – Caso do quebra-mar de Sergipe”, ministrada na PUC-Rio.

SANDRONI, S. S.; BEDESCHI, M. V. R. (2008) Aterro instrumentado da área C – uso de drenos verticais em depósito muito mole da Barra da

Tijuca, Rio de Janeiro, Proc. XIV Congresso Brasileiro de Mecânica dos Solos e Engenharia Geotécnica, Búzios, in CD.

SANDRONI, S. S.; DEOTTI, L. O. G. (2008). Instrumented test embankments on piles and geogrid platforms at the Panamerican Village, Rio de Janeiro. Proc. of the 1st Pan American Geosynthetics Conference and Exhibition, Cancun, Mexico, on CD.

SANDRONI, S. S., RUSSO NETO, L.; CARVALHO, J. (1981). Instrumented settlements fill on a peaty deposit. Proceedings of the 10th International Conference on Soil Mechanics and Foundation Engineering, Stockholm. In press.

SCHMERTMANN, J. H. (1953). "Estimating the true consolidation behavior of clay from laboratory test results." Trans. American Society of Civil Engineers, 118, 311-1– 311-25.

SCHMERTMANN, J. H. (1978). Guidelines for cone test, performance, and design. Federal Highway Administration, Report FHWA-TS-78209, Washington, 145.

SCHMERTMANN, J. H. (1991). The mechanical aging of soils. Journal of Geotechnical Engineering, ASCE, Vol. 117, No. 9, p. 1288-1330.

SCHMIDT, C. A. B. (1992). Uma análise de recalques pelo método de Asaoka modificado com enfoque probabilístico. Dissertação de Mestrados, COPPE/UFRJ, Rio de Janeiro, Brasil, 271 p.

SCHNAID, F. (2005). Geo-characterization and properties of natural soils by in situ tests. Proc. XVI International Conference on Soil Mechanics and Geotechnical Engineering, Osaka, Vol. 1: 3-45.

SCHNAID, F. (2009). In-Situ Testing in Geomechanics – the main tests. Taylor & Francis Group, London: 327 p.

SCHNAID, F.; ODEBRECHT, E. (2012). Ensaios de campo e sua aplicação à engenharia de fundações. 2ª edição, Editora Oficina de Textos, São Paulo. 198 p.

SENNESET, K.; SANDVEN, R.; JANBU, N. (1989). Evaluation of soil parameters from piezocone test. In-situ Testing of Soil Properties for Transportation, Transportation Research Record, No. 1235, Washington, D. C., 24–37.

SKEMPTON, A. W. (1953). Soil mechanics in Relation to Geology, Proc. of Yorkshire Geological Soc., Vol. 29, p. 33.

SMITH, R. E.; WAHLS, H. E. (1969). "Consolidation Under Constant Rates of Strain," Journal of the Soil Mechanics and Foundations Division, American Society of Civil Engineers, Vol. 95, No. SM2, pp. 519-539.

SOARES, J. M. D. (1997). Estudo do comportamento geotécnico do depósito de argila mole da grande Porto Alegre. Tese de Doutorado - Universidade Federal do Rio Grande do Sul, Porto Alegre, 300 p.

SOUZA PINTO, C. (1992). First Pacheco's Silva conference – Part I: Distinguished aspect of Pacheco Silva's activities. Brazilian Geotechnical Journal (Solos e Rochas), ABMS-ABGE, 15(2): 49–87.

SRIDHARAN, A., ABRAHAM, B. M.; JOSE, B. T. (1991). Improved techniques for estimation of preconsolidation pressure. Technical note, Géotechnique, Vol. 41, No. 2, p. 263-268.

SULLY, J. P.; CAMPANELLA, R. G. (1994). Evaluation of field CPTU dissipation data in overconsolidated fine-grained soils. Proceedings of XIIIth ICSMFE, New Delhi, India, p. 201-204.

TAYLOR, D. W. (1948). Fundamentals of soil mechanics. Wiley, New York.

TAYLOR, D. W.; MERCHANT, W. (1940). "A Theory of Clay Consolidation Accounting for Secondary Compression", Journal of Mathematics and Physics, vol.19, n.3, p. 167-185.

TAVENAS, F., LEBLOND, P., JEAN, P.; LEROUÉIL, S. (1983-a). The permeability of natural soft clays, Part I: Methods of laboratory measurement. Canadian Geotechnical Journal, Vol. 20, p. 629-644.

TAVENAS, F.; JEAN, P.; LEBLOND, P.; LEROUÉIL, S. (1983-b). The permeability of natural soft clays, Part II: Permeability characteristics. Canadian Geotechnical Journal, Vol. 20, p. 645-660.

TEIXEIRA, C. F.; SAYÃO, A. S. F. J.; SANDRONI, S. S. (2012) Avaliação da Qualidade de Corpos de Prova de Solos Muito Moles. XVI COBRAMSEG, Porto de Galinhas (PE).

TERZAGHI, K. (1925). "Settlement and Consolidation of Clay, "Engineering News-Record", 26 Nov. pp. 874-878,

TERZAGHI, K. (1936). Relation between soil mechanics and foundation engineering. Presidential address, Proc. 1st ICSMFE, Cambridge, Vol. 3, pp.13-18.

TERZAGHI K., PECK R. B.; MESRI G. (1996). Soil Mechanics in Engineering Practice, John Wiley and Sons, New York.

TEH, C. I. (1987). "An analytical investigation of the cone penetration test," PhD Thesis, University of Oxford.

VAUGHAN, P.P. (1973). The Measurement of Pore Pressure with Piezometers. Proceedings of Symposium of Field Instrumentation in Geotechnical Engineering. Torun: Butterworths, Londres – Inglaterra.

WISSA, A. E. Z.; CHRISTIAN, J. T.; DAVIS, E. H.; HEIBERG, S. (1971). "Consolidation at Constant Rate of Strain, "Journal of the Soil Mechanics and Foundations Division, American Society of Civil Engineers, Vol. 97, No. SM10, Oct, pp. 1393-1413.

WROTH, C. P. (1984). The interpretation of in-situ soil tests: Rankine Lecture. Geotechnique, 34(4): 449–489.

ZEEVAERT, L. (1953). Theories and hypothesis of general character, soil properties, soil classification, engineering geology, Discussion, Proceedings of Third ICSMFE, Switzerland, Vol. 3, pp. 113-114.

ZHANG, G., ROBERTSON, P. K.; BRACHMAN, R. W. I. (2002). Estimating liquefaction-induced ground settlements from CPT for level ground. Canadian Geotechnical Journal, 39(5): 1168–1180. doi:10.1139/t02-047.