

7. Revisão Bibliográfica

1. RICHTER, K.; HANUS, F.; WOLF, Structural Steels of 690 MPa Yield Strength- a State of Art. 2nd International Symposium on High Strength Steel, Stiklestad Verdal, April 2002, p. 7.
2. DEMOFONTI, G. et al. Suitability Evaluation of X1OO Steel Pipes for High Pressure Gas Transportation Pipelines by Full Scale Tests. XIV Joint Technical Meeting on Pipeline Research, Berlin, Germany, May 2003, p 16.
3. GORNI, A. A.; SILVEIRA, J. H. D.; REIS, J. S. S. Um Panorama de Desenvolvimento Recente de Chapas Grossas e Suas Aplicações. Corte e Conformação de Metais, Brasil, Novembro 2006, p.78-92.
4. SHABALOV, I, P.; SHAFIGIN, E, K.; ODESSKII, P, D, Requirements on Pipeline Steel. Steel in Traslations, Moscow, Russia, vol.40, N°12, 2010, P.1108-1114.
5. FELBER, S.; LOIBNEGGER. The Pipeline-Steels X100 and X120. Institute for Building Construction and Techonlogy E-206 Vienna University of Technology, Karlsplatz 13, A-1040 Vienna, Austria 2009 P. 1-24.
6. GORNI, A. A.; SILVEIRA, J. H. D.; REIS, J. S. S. Metalurgia dos Aços Microligados Usados na Fabricação de Tubos Soldados com Grande Diâmetro. Tubo e Companhia, Brasil, Septiembre 2009, p.12.
7. GRIMPE, F. et al. Development, Production and Application of Heavy Plates in Grades up to X120. 1st International Conference Super-High Strength Steels. November 2-4, 2005 Rome, Italy.
8. BOTT, IVANI DE S. et al, Aços para Dutos. Engenharia de Dutos, Rio de Janeiro, Brasil, ABCM. 2009.v. 01, p. 1-18..
9. HILLENBRAND, H. G.; KALWA, C. High Strength Line Pipe for Project Cost Reduction. Europipe, Niobium 2001, December, 2001 florida, USA, p 2.
10. HILLENBRAND, H. G.; GRAF, M.; KALWA, C. Development and Podruction of High Strength Pipelines Steels. Europipe, Niobium 2001, December 02-05, 2001 Florida, USA, P 2-3 .

11. SMALLMAN, R. E.; NGAN, R. H. W. Physical Metallurgy and Advanced Materials,. Seventh Edition, Oxford, UK, Butterworth-Heinemann is an Imprint of Elsevier, 2007, p.447-451..
12. DAS, A. K.; The Present and the Future of Line Pipe Steels for Petroleum Industry. Materials and Manufacturing Processes, V.25, 2010, P.14-19.
13. BOTT, IVANI DE S et al, High-Strength Steel Development for Pipelines : A Brazilian Perspective. Metallurgical and Materials Transactions, V 36A, February 2005, p. 443-454.
14. RAMIREZ, J. E. Examining the Mechanical Properties of High-Strength Steel Weld Metals,. Welding Journal, January 2009, p. 32-37.
15. VENTRELLA, V. A.; ALCÂNTARA, N. G.; Evans, G. M. Efeito Dos Elementos de Liga nas Microestruturas e Propriedades De Metais De Solda De Aços ARBL. XXII Encontro Nacional De Tecnologia Da Soldagem, Blumenau/SVC, Brasil 1996 P. 447-457.
16. BAJIC, N. et al. Filler Metal Influence on Weld Metal Structure of Microlloyed Steel. Supplement to the Welding Journal, Vol 90, april 2011 .
17. SILVA, A. L.; AVILLEZ, R. R.; CORDEIRO, N. B. Modelos Para a Solubilidade de Precipitatos Relevantes Para a Laminação a Quente de Aços. 54º Congresso da ABM, 25 a 29 de julho de 1999, São Paulo, P 1-2.
18. LOURENÇO, N. J. Estudo da Deformação De Um Aço Microligado Ao Vanadio Na Região De Transição De Fase. São Paulo, 2001. 25-26. Programa De Pós-Graduação Em Ciência E Engenharia De Materiais, Universidade Federal De São Carlos.
19. MITCHELL, P. S.; HART, P. H. M.; MORRISON, W. B. The Effect of Microalloying on HAZ Toughness. VANITEC, The Welding Institute, British Steel Plc, Swinden Technology Centre, 1995. P. 1-24.
20. SMALLMAN, R. E; BISHOP, R. J. Modern Physical Metallurgy and Materials Engineering. Sixth Edition, Great Britain, Butterworth Heinemann, 1999, p.297- 300 .
21. DEARDO, A. J.; GARCIA, C. I.; PALMIERE, E.J. Thermomechanical Processing of Steel, Heat Treating. Handbook of Heat Treating, ASM International (1991), 237. .

22. Mariano, N.; A. Efeito da Temperatura e Tempo de Austenitização nas Transformações de Fase da Liga 13Cr2Ni0,1C. Rem: Rev. Esc. Minas vol.63 no.1 Ouro Preto Jan./Mar. 2010.
23. ANDREWS, K. W.; Temperatures Empirical Formulae For The Calculation of Some Transformation. Journal of Iron and Steel Institute, v. 203, p.721-727, 1965.
24. LIU, C. et al. A New Empirical Formula For The Calculation of Ms Temperatures in Pure Iron And Super-Low Carbon Alloy Steels. Journal of Materials Processing Technology 113 (2001) 555-562.
25. MOENIFAR, S.; KOKABI, A. H.; MADAAH HOSSEINI, H. R. Inlfuence of Peak Temperature During Simulation and Real Thermal Cycles on Microstructure and Fracture Properties of Reheated Zones. Materials and Design, v 31, 2010 p. 2948-2955.
26. MOEINIFAR, S.; KOKABI, A. H.; HOSSEINI, H. R. M. Effect of Tandem Submerged Arc Welding Process and Parameters of Gleeble Simulator Thermal Cycles on Properties of The Intercritically Reheated Heat Affected Zone. Materials and Design 32 (2011) 869–876.
27. CROWTHER, D. N. British Steel Contract Report for Vanitec, March 1994.
28. Lagneborg Rune et al.The Role Of Vanadium In Microalloyed Steels. The Scandinavian Journal of Metallurgy,October 1999, P. 64-67.
29. YOU, W. et al. Materialometrical Approach of Predicting the Austenite Formation Temperatures. Materials Science and Engineering A 419 (2006) 276–282.
30. MODENESI, P. Soldabilidade dos Aços Transformáveis. Departamento de Engenharia Metalúrgica e de Materiais, Belo Horizonte, julho de 2010. .
31. Marques, P.; Modenesi, P.; Bracarense, A. Soldagem Fundamentos e Tecnologia. Terceira Edição, Belo Horizonte, 2009, p. 84-85.
32. NISHIO, K et al. Effects of Ti and N on Notch Toughness of Synthetic Weld Heat Affected Zone. Transactions of the Japan Welding Society, Vol 15, No.2, October 1984, p. 40-48.
33. LI, Y et al. The Effect of Vanadium and Niobium on the Properties and Microstructure of the Intercritically Reheated Coarse Grained Heat Affected Zone in Low Carbon Microalloyed Steels. ISIJ International, Vol. 41 (2001), No. 1, pp. 46–55.

34. MORRISON, W. B. Overview of Microalloying in Steel. The Use of Vanadium in Steel, The Proceeding of The Vanitec Symposium, Guilin, China, Nov., 2000.(V0101), P.25-35.
35. MATSUDA, F. et al. Review of Mechanical and Metallurgical Investigations of Martensite-Austenite Constituent in Welded Joints in Japan. Welding Joint In Japan, Osaka University, Trans. JWRI, Vol. 24 (1995) N°1.
36. HULKA, K. HEISTERKAMP, F. Physical Metallurgy, Properties and Weldability of Pipeline Steels of Various Niobium Contents. HSLA Steels Technology and Applications, Philadelphia 1983, p. 915-924.
37. BELLANTANI, D. Estudo da Soldabilidade do Tubo API5L X80 Utilizando os Processos de Soldagem: MAG com Transferência controlada e Eletrdo Tubular. Departamento de Engenharia Metalurgica e de Materiais Universidade de São Paulo, 2010.
38. KASAMATSU, et al. Effect of Titanium and Nitrogen on Toughness of Heat-Affected Zone of Steel Plate With Tensile Strength of 50 kg/mm² in High Heat Input Welding. Tetsu to Hagane (1979), 65(8), 1232-41 CODEN: TEHAA2; ISSN: 0371-6279. Japanese.
39. HANNERZ, N. Proceedings of the Conference on Welding of HSLA (microalloyed) Structural Steels. Rome, November 1977, A Rothwell, J. Malcolm Gray (eds) ASM, P365.
40. BANG, K-S., PARK, C.; LIU, S. Effects of Nitrogen Content and Weld Cooling Time on the Simulated Heat-Affected Zone Toughness in a Ti-Containing Steel. J Mater Sci (2006) 41:5994–6000.
41. HART, P. H. M. The Influence of Vanadium-Microalloying on The Weldability of Steels. International Symposium 2001 on Vanadium Application Technology, out. 2001, Beijing, China, Vanadium 2001, TWI, 2004.
42. UCHINO, K. OHNO, Y. A Study of Intercritical HAZ. Embrittlement in HT50 for Offshore Structural Use. 6th International Conference of Offshore Mechanics and Arctic Engineering, Houston, TX, Mar. 1-7, 1987, pp. 159-165.
43. MATSUDA, F. et al. Review of Mechanical and Metallurgical Investigations of M-A Constituent in Welded Joint in Japan. Trans. JWRI, Vol. 24 (1995), N° 1..

44. HANNERZ, N. Influence of Vanadium on the HAZ Properties of Mild Steel. Metal Science, Volume 8, Number 1, 1974 , pp. 228-234(7).
45. BATESON, P. Development of TMCR Steel for Offshore Structures,. Structural Materials in Marine Environments, The Royal Society, London, May, 1994.
46. ES-SOUNI, M. ; BEAVEN, P. A. ; EVANS, G. M. Microstructure and AEM Studies of Self-Shielded Flux-Cored arc Weldments . Welding Journal, USA 1992, Vol. 71, no. 2, p. 35-45.
47. ADRIAN, H.; PICKERING, F. B Effect of Titanium Additions Onaustenite Grain Grovvh Kinetics of Medium Carbon V-Nb Steels Containing O.008- 0.018% N. Materials Science and Technology February 1991 Vol. 7 P.176- 182.
48. Ellis, D. J; The Efficct of Titanium Inclusions On HY-80 GMA Weld Deposits. Lieutenant, United States Navy, B.S.M.E., Ohio State University, 1981.
49. LAITINEN, R. Improvement of Weld HAZ Toughness at Low Heat Input By Controlling The Distribution of MA Constitunts. Deparment of Mechanical Engineering University of Oulu, 2006.
50. MURATOGLU, M.; EROGLU, M. Effect of Molybdenum on the Intercritical Heat-Affected Zone of the Low Carbon Cr-Mo Steel. Asian Transactions on Engineering (ATE ISSN: 2221-4267) Volume 01, sep 20011, P. 1-5 .
51. MALCOLN, J. G, A Guide for Understanding and Specifying Chemical Composition of High Strength Linepipe Steel. Companhia Brasileira de Metalurgia e Mineração, 2007, p.37 .
52. KERMANPUR, A.; SHAMANIAN, M; YEGANEH, E. Three-dimensional Thermal Simulation and Experimental Investigation of GTAW Circumferentially butt-Welded Incoloy 800 Pipes. journal of materials processing technology 1 9 9 (2008) 295–303.
53. SROLOVITZ, D.; ANDERSON, P. Computer Simulation of Grain Growth — II: Grain size distribution, topology and Local Dynamics. Acta Metallurgica 32 (5) p. 793-802.
54. LUNDIN, C. D.; ZHOU, G. A Comparison of Published HAZ Thermal Simulation Methods Used to Derive Weld HAZ Thermal Cycles. Acta Metallurgica Sinica, vol.13 N°.1 february 2000 p.223-232.

55. FERGUSON, H. S. Phisycal Simulation Techniques for Welding, Hot Forming and Continuos Casting. Chairman, Duffers Scientific, INC. Troy, Ney York, 1988 p1-12.
56. GOODALL, G. et al. Weld HAZ Simulation of X100 Pipe Steel. AIST Steel properties & Applications Conference Proceedings Combined With MS&T, Canada 2009, p.1-11 .
57. CARROUGE, D.; BHADESHIA, H. K. D. H.; WOOLLIN, P. Effect of δ -Ferrite on Impact Properties of Supermartensitic Stainless Steel Heat Affect Zones. Science and Technology of Welding and Joining 2004 Vol. 9 No. 5 P.377-389.
58. LIPPOLD, C. J. Physical Simulation of Welding: A Perspective on Weldability Testing. International Symposium on Physical Simulation of Welding, Hot Forming and Casting held in Ottawa, Canada, 1988..
59. ANDONYI, Y. Heat-Affected Zone Characterization by Physical Simulations. Welding Journal, October 2006, p. 42-47.
60. BROWN, S G.; JAMES, D.; SPITTEL, A. A 3D Numerical Model of the Temperature–Time Characteristics of Specimens Tested on a Gleeble Thermomechanical Simulator. Modelling Simul. Mater. Sci. Eng. 5 (1997) 539–548..
61. CERJAK, H.; Buchmayr, B.The Determination of Weldability by Using Simulation Techniques. Materials Science and Welding Technology, Graz University of Technology, A-810 Graz, Kopernikusgasse 24, Austria, 1997.
62. DIETER, G. E.; KUHN, H. A.; SEMIATIN, S. L. Handbook of Workability and Process Desing. in: Hot-Tension Testing. ASM International, USA, 2003, P. 68-85.
63. Zheng S. et al. Influence of Different Cooling Rates on the Microstructure of the HAZ and Welding CCT Diagram of CLAM Steel. Institute of Plasma Physics, Chinese Academy of Sciences, Hefei, 2011, vol. 86, no 9-11 (1237 p.).
64. TSAI, C. L.; TSO, C. M. Heat Flow in Fusion Welding. In: Welding Brazing and Soldering. ASM Handbook, V.8, ASM International, USA, 1993 P.7-18.
65. SHOME, M.; MOHANTY, O. N. Continuous Cooling Transformation Diagrams Applicable to the Heat-Affected Zone of HSLA-80 and HSLA-100

- Steels,. Metallurgical and Materials Transactions A, vol 37A, July 2006 p. 2159-2169..
66. LOPEZ, C. M. et al. Influência do Processo e dos Parâmetros de Soldagem Sobre o Ciclo Térmico em Juntas Soldadas de Aços ARBL. 13 Congresso Brasileiro de Engenharia e Ciência dos Materiais, 1998, Curitiba - PR, 1998. p. 334-342. .
67. WANG, Q. et al. Study of the Microstructure and Properties of Simulated Heat Affected Zone in Laser Welding of ULCB 600 Steel. Acta Metalurgica Sinica, February 2000, Vol. 13 N°.1 p 151-156.
68. HINTON, R. W.; WISWESSER, R. K. Estimating Welding Preheat Requirements for Unknown Grades of Carbon and Low-Alloy Steels. WELDING JOURNAL, NOVEMBER 2008 Vol 87 P. 273- 278.
69. PETROBRAS N-133, Soldagem, Petrobras- Brasil, Ultima revisão: Setembro 2002, P-21-22.
70. Messler, R.; W. Principles of Welding. The Flow of Heat in Welds, British, Singapore, 1999, p.147-180.
71. EASTERLING, K. Introduction to the Physical Metallurgy of Welding. London, UK, Butterworths Monographs in Metals, 1983, p. 104.
72. POPOVIÉ, O. et al. The Effect of Heat Input on The Weld Metal Toughness of Surface Welded Joint. 14th International Research/Expert Conference, Mediterranean Cruise, 11-18 September 2010 P 61-64.
73. Amer, E.; A. Effect of Welding Heat Input on Microstructure and Mechanical Properties of Simulated HAZ in Cu Containing Microalloyed Steel. Journal of Materials Science, November 2009, Volume 45, Number 5, P.1248-1254 .
74. ROBERT W. MESSLER, Jr. Principles of Welding. Singapore, 2004, p.127- 131 .
75. POORHAYDARY, BY K.; PATCHETT, B. M.; IVEY, D. G. Estimation of Cooling Rate of Welding of Plates With Intermediate Thickness,. Welding Journal, October 2005, p. 149-155.
76. MATSUDA, F.; IKEUCHI, K.; LIAO, J. Weld HAZ Toughness and Its Improvement of Low Alloy Steel SQV-2A for Pressure Vessels . Transactions of JWRI, Vol. 23 (1944), N°. 1, P. 49-57.

77. IKAWA, H.; OSHIGE, H.; TANOUE, T. Effect of Martensite-Austenite Constituent on HAZ Toughness of High Strength Steel. Transactions of the Japan Welding Society, Vol.11, No. 2, october 1980.
78. SHOME, M. Effect of Heat-Input on Austenite Grain Size in The Heat-Affected Zone of HSLA-100 Steel. Materials Science and Engineering A 445–446 (2007) 454–460..
79. MACHADO, I. G. Cálculo do Tempo de Resfriamento na Soldagem. Soldagem e Inspeção, vol. 04, nº 08, Agosto 1988, p. 25- 1998.
80. CARON, J. L.; BABU, S. S.; LIPPOLD, J. C. Welding-Induced Microstructure Evolution of a Cu-Bearing High-Strength Blast-Resistant Steel. METALLURGICAL AND MATERIALS TRANSACTIONS, VOLUME 42A, DECEMBER 2011 P.4015-4031.
81. BLONDEAU, RÉGIS. Metallurgy and Mechanics of Welding. Great Britain, John Wiley and Sons, Ltd.,2008, ISBN: 978-1-84821-038-7.
82. LI, C.; WANG, Y.; CHEN, Y. Influence of Peak Temperature During In-Service Welding of API X70 Pipeline Steels on Microstructure and Fracture Energy of the Reheated Coarse Grain Heat-Affected Zones. Journal of Materials Science, May 2011 P.1-8 .
83. TOYODA, M. Fracture Toughness Evaluation of Steel Weld. Osaka University, Report, 1989.
84. LI, Y.; BAKER, T. N. Effect of Morphology of Martensite- Austenite Phase on Fracture of Weld Heat Affected Zone in Vanadium and Niobium Microalloyed Steels. Materials Science and Technology, 26 (9). p. 1029-1040.
85. JAE, IL, J. et al. Micromechanism of Local Brittle Zone Phenomenon in Weld Heat-Affected Zones of Advanced 9% Ni Steel. Journal Of Materials Science Letters 20, 2001, 2149 – 2152.
86. JAE-I. J. et al Effects of Microstructural Change on Fracture Characteristics in Coarse Grained Heat-Affected Zones of QLT-Processed 9% Ni steel. Materials Science and Engineering A340 (2003) 68 /79.
87. BRANCO, J. F. et al. Soldagem Circunferencial Em Tubos de Aço Da Classe API X80. In Rio Pipeline Conference and Exposition 2003 Annals, out. 2003, Rio de Janeiro, Instituto Brasileiro de Petróleo, 2003.

88. AMERICAN PETROLEUM INSTITUTE, Welding of Pipelines and Related Facilities, API Standard 1104, Nineteenth. Washington 2005.
89. ASTM E23. Standard Test Methods for Notched Bar Impact Testing of Metallic Materials. Annual Book of ASTM Standards, Vol 14.01, 2000.
90. API RP 2Z Recommended Practice for Preproduction Qualification for Steel Plates for Offshore Structures,. Third Edition, August 1998.
91. LI, C.; WANG, Y.; HAN. Microstructure and Toughness of Coarse Grain Heat-Affected Zone oF Domestic X70 Pipeline Steel During In-Service Welding. *Journal Mater Sci* (2011) 46:727-733.
92. VIERA, ADRIANA. A. Avaliação Microesturural de Aços da Classe API5LX80 Submetidos a Diferentes Ciclos Térmicos, 2007. Dissertação (Mestrado) - Pontifícia Universidade Católica do Rio de Janeiro.
93. CARVALHO, M. Determinação Experimental da Tenacidade À Fratura da Zona Termicamente Afetada de Junta Soldada de Aço API5LX80. Departamento de Engenharia Naval e Oceânica, são paulo, 2009, P65-70 .
94. RAMIREZ, M. Caracterização Microestrutural de um Aço API 5L-X80 Através de Microdureza e Microscopia Ótica e Eletrônica. 62º Congresso Anual da ABM, Brasil 2007, P. 3633-3642.