

ABITEBOUL, S. et al. **The Lowell Database Research Self Assessment**. Lowell Workshop Technical Report, 2003. Disponível em: <<http://research.microsoft.com/~gray/lowell/>>. Acesso em: 22 out. 2004.

ARENS, Y.; KNOBLOCK, C. A.; SHEN, W. **Query Reformulation for Dynamic Information Integration**. In: Journal of Intelligent Information Systems - Special Issue on Intelligent Information Integration. (6) 2/3, p.99-130. 1996. Disponível em: <<http://citeseer.ist.psu.edu/arens96query.html>>. Acesso em: 12 out 2004.

ATKINSON, B. et al. **UDDI Version 3.0.1**. UDDI Spec Technical Committee Specification, out. 2003. Disponível em: <<http://uddi.org/pubs/uddi-v3.0.1-20031014.htm>>. Acesso em: 12 dez. 2004.

ATKINSON, R.; FITZKE, J. **Gazetteer Service Profile of the Web Feature Service Implementation Specification**. Version 0.9, OGC 02-076r3, OpenGIS® Discussion Paper, OpenGIS Consortium, 2002. Disponível em: <<http://www.opengis.org/docs/02-076r3.pdf>>. Acesso em: 10 out. 2004.

BAADER, F. et al. **The Description Logic Handbook: Theory, Implementation and Applications**. Cambridge: Cambridge University Press, 2003. 574p.

BECKETT, D. **The Design and Implementation of the Redland RDF Application Framework**. In: WWW10, mai. 2001, Hong Kong, Proceedings of WWW10. Disponível em: <<http://www10.org/cdrom/papers/490/>>. Acesso em: 14 dez. 2004.

BECHHOFFER, S. et al. **OWL Web Ontology Language Reference**. W3C Recommendation, 10 fev. 2004. Disponível em: <<http://www.w3.org/TR/2004/REC-owl-ref-20040210/>>. Acesso em: 12 dez. 2004.

BERGER, A.; KESSLER, R. **Modifying Agent Systems for an Open, Dynamic Agent Environment**. In: Proceedings of the Second International Joint Conference on Autonomous Agents and Multiagent Systems (AAMAS 2003), New York: ACM Press, ISBN: 1-58113-683-8, 2003.

BERNERS-LEE, T. **Information Management: A Proposal**. CERN, mar. 1989. Disponível em: <<http://www.w3.org/History/1989/proposal.html>>. Acesso em: 12 dez. 2004.

BERNERS-LEE, T. et al., **Uniform Resource Identifiers (URI): Generic Syntax**. W3C Standards Track, ago. 1998. Disponível em: <<http://www.ietf.org/rfc/rfc2396.txt>>. Acesso em: 30 jan. 2005.

BERNERS-LEE, T.; HENDLER, J.; LASSILA, O. **The Semantic Web: A new form of Web content that is meaningful to computers will unleash a revolution of new possibilities**. Scientific American Magazine, May 2001. Disponível em: <<http://www.sciam.com/article.cfm?articleID=00048144-10D2-1C70-84A9809EC588EF21>>. Acesso em: 12 dez. 2004.

BOOTH, D. et al. **Web Services Architecture**. W3C Working Group Note, 11 fev. 2004. Disponível em: <<http://www.w3.org/TR/2004/NOTE-ws-arch-20040211/>>. Acesso em: 12 dez. 2004.

BRAUNER, D. F. et al. **Um Estudo de Caso para Avaliação do Knowledge Unified Process para o Desenvolvimento de Ontologias**. Monografia do Departamento de Informática nº50/03, PUC-Rio: Rio de Janeiro, Brasil, 72 p., 2003. Disponível em: <ftp://ftp.inf.puc-rio.br/pub/docs/techreports/03_50_brauner.pdf>. Acesso em: 01 fev. 2005.

BRICKLEY, D.; GUHA, R. **RDF Vocabulary Description Language 1.0: RDF Schema**. W3C Recommendation, 10 fev. 2004. Disponível em: <<http://www.w3.org/TR/2004/REC-rdf-schema-20040210/>>. Acesso em: 09 dez. 2004.

BROEKSTRA, J.; KAMPMAN, A.; VAN HARMELEN, F. **Sesame: An Architecture for Storing and Querying RDF and RDF Schema**. In: First International Semantic Web Conference (ISWC 2002), Sardinia, Italy, 9-12 jun. 2002, Proceedings of ISWC 2002, Springer-Verlag LNCS 2342, p.54-68. Disponível em: <<http://www.cs.vu.nl/~jbroeks/papers/ISWC02.pdf>>. Acesso em: 12 dez. 2004.

BROEKSTRA, J. et al. **The Drug Ontology Project for Elsevier**. In: Workshop on Application Design, Development and Implementation Issues in the Semantic Web, New York, Proceedings of the WWW'04, mai. 2004. Disponível em: <<http://www.cs.vu.nl/~frankh/postscript/WWW-WS04.pdf>>. Acesso em: 12 dez. 2004.

BUSCHMANN, F. et al. **Pattern-Oriented Software Architecture: A System of Patterns**. New York: John Wiley & Sons, 1996. 476p.

BUSSE, S. et al. **Federated Information Systems: Concepts, Terminology and Architectures**. Technical Report 99-9, Forschungsberichte des Fachbereichs Informatik, 1999. Disponível em: <http://www.informatik.hu-berlin.de/~leser/publications/tr_terminology.ps>. Acesso em: 12 dez. 2004.

CHRISTENSEN, E. et al. **Web Services Description Language (WSDL) 1.1**. W3C Note, 15 mar. 2001. Disponível em: <<http://www.w3.org/TR/2001/NOTE-wsdl-20010315>>. Acesso em: 12 dez. 2004.

Dublin Core Metadata Element Set, Version 1.1 (2003): Reference Description. Disponível em: <<http://dublincore.org/documents/2003/06/02/dces/>>. Acesso em: 09 dez. 2004.

DUKE, M.; PATEL, M. **An Ontology Server for Agentcities.NET**. Agentcities Task Force Technical Note, 2003. Disponível em: <<http://www.agentcities.org/note/00008/actf-note-00008a.pdf>>. Acesso em: 12 dez. 2004.

EKLUND, P. W.; ROBERTS, N.; GREEN, S. P. **Browsing an RDF Ontology using a Hyperbolic-like Browser**. In: Proceedings of The First International Symposium on CyberWorlds (CW2002), IEEE Press, 2002. p. 405-411. Disponível em: <<http://www.kvocalcentral.com/kvopapers/ontorama.pdf>>. Acesso em: 14 dez. 2004.

FIPA Ontology Service Specification, Foundation for Intelligent Physical Agents (FIPA), Geneva, 2000. Disponível em: <<http://www.fipa.org/specs/fipa00086/XC00086D.html>>. Acesso em: 17 dez. 2003.

FOSTER, I.; KESSELMANN, C.; TUECKE, S. **The Anatomy of the Grid: Enabling Scalable Virtual Organizations**. In: International Journal of Supercomputer Applications 15(3), 2001. Disponível em: <<http://www.globus.org/research/papers/anatomy.pdf>>. Acesso em: 10 dez. 2004.

GAMMA, E. et al. **Design Patterns: Elements of Reusable Object-Oriented Software**. Addison-Wesley Professional, 1995. 395p.

GARLAN, D.; PERRY, D. **Introduction to the Special Issue on Software Architecture**. In: IEEE Transactions on Software Engineering. v.21, n.4. 1995.

GOH, C. H. **Representing and Reasoning about Semantic Conflicts in Heterogeneous Information Sources**. In: Sloan School of Management. MIT: Boston, 1997.

GUARINO, N. **Formal Ontology and Information System**. In: FOIS 1998, Proceedings of FOIS'98, Trento, Italy, 6-8 jun. 1998. Amsterdam, IOS Press, p. 3-15. Disponível em: <<http://www.loa-cnr.it/Papers/FOIS98.pdf>>. Acesso em: 12 dez. 2004.

GUPTA, A.; MARCIANO, R.; ZASLAVSKY, I.; BARU, C. **Integrating GIS and Imagery through XML-Based Information Mediation**. NSF International Workshop on Integrated Spatial Databases: Digital Images and GIS, June, 1999. Disponível em: <<http://www.npaci.edu/DICE/Pubs/isd99.pdf>>. Acesso em: 12 dez. 2004.

GUPTA, S. **Tutorial on Service Oriented Architecture – Part 1**. JavaBoutique. Disponível em: <http://javaboutique.internet.com/tutorials/serv_orient/>. Acesso em: 01 nov. 2004.

HAAS, L.; CAREY, M. **Will federated databases ever go anywhere?**. In: Lowell Database Research Self-Assessment Meeting, Lowell Massachusetts, 4-6 mai. 2003. Disponível em: <<http://research.microsoft.com/~gray/Lowell/HaasCareyFederatedCantSucceed.ppt>>. Acesso em: 01 dez. 2004.

HAKIMPOUR, F.; GEPPERT, A. **Resolving semantic heterogeneity in schema integration**. In: Proc. of the Int'l. Conf. on Formal Ontology in Information Systems, Ogunquit, Maine, USA, October, 2001, ACM Press, p. 297 – 308.

HEERY, R. et al. **The MEG Registry and SCART: complementary tools for creation, discovery and re-use of metadata schemas**. In: International Conference on Dublin Core and Metadata for e-Communities. Florence: Firenze University Press, 2002, p. 125-132. Disponível em: <<http://www.bncf.net/dc2002/program/ft/paper14.pdf>>. Acesso em: 14 dez. 2004.

HORROCKS, I. et al. **SWRL: A Semantic Web Rule Language Combining OWL and RuleML**. W3C Member Submission. 21 mai. 2004. Disponível em: <<http://www.w3.org/Submission/2004/SUBM-SWRL-20040521/>>. Acesso em: 07 jan. 2005.

INMON, W. H. **Building the Data Warehouse**. 3rd Edition, New York: John Wiley & Sons, 2002. 432p.

Institute of Electrical and Electronics Engineers. IEEE Standard Computer Dictionary: A Compilation of IEEE Standard Computer Glossaries. New York, NY: 1990. Disponível em: <<http://www.sei.cmu.edu/activities/str/indexes/glossary/interoperability.html>>. Acesso em: 05 nov. 2004.

KIMBALL, R. **The Data Warehouse Toolkit: Practical Techniques for Building Dimensional Data Warehouses**. New York: John Wiley & Sons, 1996. 416p.

LAYZELL, P. J. et al. **Service-Based Software: The Future for Flexible Software**. In: Asia-Pacific Software Engineering Conference, Singapore, 5-8 dez. 2000. p. 214-222. Disponível em: <<http://www.service-oriented.com/publications/APSEC2000.pdf>>. Acesso em: 10 dez. 2004.

LI, Y. et al. **Beyond ontology construction; Ontology Services as online knowledge sharing communities**. In: Proceedings of Semantic Web International Conference (ISWC 2003), 20-23 out. 2003. D. Fensel et al. (Eds.): ISWC 2003, LNCS 2870. p. 469-483.

LUCK, M.; MCBURNEY, P.; PREIST, C. **Agent Technology: Enabling Next Generation Computing (A Roadmap for Agent Based Computing)**. AgentLink, 2003. Disponível em: <<http://www.ecs.soton.ac.uk/~mml/papers/al2roadmap.pdf>>. Acesso em: 10 fev. 2005.

MCBRIDE, B. **Jena: Implementing the RDF Model and Syntax Specification**. In: Proceedings of the Second International Workshop on the Semantic Web (SemWeb'2001), Hongkong, China, 01 mai. 2001. Disponível em: <<http://ceur-ws.org/Vol-40/mcbride.pdf>>. Acesso em: 14 dez. 2004.

MCILRAITH, S.; MARTIN, D. **Bringing semantics to web services**. IEEE Intelligent Systems, 2003. p. 90-93. Disponível em: <<http://www.daml.org/services/pubs/090-093.pdf>>. Acesso em: 12 dez. 2004.

MENA, E. et al. **OBSERVER: An approach for query processing in global information systems based on interoperation across pre-existing ontologies**. In: International journal on Distributed And Parallel Databases (DAPD), 8(2):223--271, 2000. Disponível em: <<http://citeseer.ist.psu.edu/mena96observer.html>>. Acesso em: 10 dez. 2004.

NEBERT, D.; WHITESIDE, A. **OpenGIS® Catalogue Services Specification V2.0**. OpenGIS® Implementation Specification, OGC 04-021r2, Open GIS Consortium Inc. Mai. 2004. Disponível em: <<http://www.opengeospatial.org/specs/?page=specs>>. Acesso em: 11 dez. 2004.

ÖZSU, M. T.; VALDURIEZ, P. **Principles of distributed database systems**, 2nd Edition, Prentice-Hall, Inc., 1999.

PAN, J.; CRANFIELD, S.; CARTER, D. **A lightweight ontology repository**. In: Proceedings of the Second International Joint Conference on Autonomous Agents and Multiagent Systems (AAMAS 2003), Melbourne, Australia, 2003, ACM Press: New York. p. 632-638. Disponível em: <<http://portal.acm.org/citation.cfm?id=860677>>. Acesso em: 10 dez. 2004.

REED, D. et al. **The Social Web: Creating An Open Social Network with XDI**. PlaNetwork Journal, jul. 2004. Disponível em: <<http://journal.planetwork.net/article.php?lab=reed0704>>. Acesso em: 15 dez. 2004.

REED, D.; STRONGIN, G. **The Dataweb: An Introduction to XDI**. OASIS XDI Technical Committee White Paper, v.2, jan. 2004. Disponível em: <<http://www.oasis-open.org/committees/download.php/5115/wd-xdi-intro-white-paper-2004-01-20.pdf>>. Acesso em: 10 out. 2004.

REYNOLDS, D. **Jena 2 Inference support**. Jena Documentation, 2005. Disponível em: <<http://jena.sourceforge.net/inference/>>. Acesso em: 10 fev. 2005.

SHETH, A.; LARSON, J. **Federated database systems for managing distributed, heterogeneous and autonomous databases**. ACM Computing Surveys, Vol. 22, Issue 3, set. 1990. p. 183-236. Disponível em: <<http://portal.acm.org/citation.cfm?id=96602.96604>>. Acesso em: 10 nov. 2004.

SINGH, G. et al. **A Metadata Catalog Service for Data Intensive Applications**. In: ACM Supercomputing Conference (SC'03), Phoenix, Arizona, USA. Nov. 2003. Disponível em: <http://www.globus.org/research/papers/mcs_sc2003.pdf>. Acesso em: 10 dez. 2004.

SMITH, M.; WELTY, C.; MCGUINNESS, D. **OWL Web Ontology Language Guide**. W3C Recommendation. 10 fev. 2004. Disponível em: <<http://www.w3.org/TR/2004/REC-owl-guide-20040210/>>. Acesso em: 14 set. 2004.

SQL/XML. Information technology - Database languages - SQL - Part 14: XML-Related Specifications (SQL/XML). Data management and Interchange ISO Technical Committee, ISO/IEC JTC 1/SC 32 Final Committee Draft, jul. 2004. Disponível em: <<http://www.sqlx.org/SQL-XML-documents/5FCD-14-XML-2004-07.pdf>>. Acesso em: 20 jan. 2004.

STUCKENSCHMIDT, H. et al. **Enabling technologies for interoperability**. In: Ubbo Visser and Hardy Pundt Editors, Workshop on the 14th International Symposium of Computer Science for Environmental Protection, Bonn, Germany, 2000, p. 35-46. Disponível em: <<http://citeseer.ist.psu.edu/459286.html>>. Acesso em: 10 dez. 2004.

STUCKENSCHMIDT, H. et al. **Exploring Large Document Repositories with RDF Technology: The DOPE Project**. In: IEEE Intelligent Systems, 19(3):22-28, 2004. Disponível em: <<http://www.cs.vu.nl/~jbroeks/papers/IEEEIS04.pdf>>. Acesso em: 29 ago. 2004.

SUGURI, H. et al. **Implementation of FIPA Ontology Service**. In: Proceedings of the Workshop on Ontologies in Agent Systems, 5th International Conference on Autonomous Agents, 2001. Disponível em: <<http://CEUR-WS.org/Vol-52/oas01-suguri.pdf>>. Acesso em: 12 dez. 2004.

TSAL, T. et al. **Ontology-Mediated Integration of Intranet Web Services**. IEEE Computer Society, Vol. 36(10), out. 2003. p. 63-71. Disponível em: <<http://csdl.computer.org/comp/mags/co/2003/10/rx063abs.htm>>. Acesso em: 10 out. 2004.

TUCHINDA, R. et al. **Artemis: Integrating Scientific Data on the Grid**. In: Proceedings of the Sixteenth Innovative Applications of Artificial Intelligence, San Jose, CA, jul. 2004. Disponível em: <http://www.isi.edu/~deelman/artemis_iaai04.pdf>. Acesso em: 10 dez. 2004.

VOLZ, R. et al. **KAON SERVER - A Semantic Web Management System**. In: Alternate Track Proceedings of the Twelfth International World Wide Web Conference, WWW2003, Budapest, Hungary, ACM Press, 2003. Disponível em: <<http://www.aifb.uni-karlsruhe.de/WBS/dob/pubs/www2003.pdf>>. Acesso em: 14 dez. 2004.

WACHE, H. et al. **An integration method for the specification of rule-oriented mediators**. In: Yahiko Kambayashi and Hiroki Takakura Editors, Proceedings of the International Symposium on Database Applications in Non Traditional Environments (DANTE'99), Kyoto, Japan, 28-30 nov. 1999, p. 109-112. Disponível em: <<http://csdl.computer.org/comp/proceedings/dante/1999/0496/00/04960109abs.htm>>. Acesso em: 10 out. 2004.

WACHE H. et al. **Ontology-Based Integration of Information – A Survey of Existing Approaches**. In: Proceedings of IJCAI-01 Workshop on Ontologies and Information Sharing, Seattle, WA, 2001, p.108-117. Disponível em: <<http://citeseer.ist.psu.edu/wache01ontologybased.html>>. Acesso em: 01 out. 2004.

WIEDERHOLD, G. **Mediators in the Architecture of Future Information Systems**. IEEE Computer Society Press, Vol.25, mar. 1992, p. 38-49. Disponível em: <<http://citeseer.ist.psu.edu/wiederhold92mediators.html>>. Acesso em: 16 set. 2004.

XDI.ORG International Organization Home Page. Disponível em:
<<http://www.xdi.org/>>. Acesso em: 16 dez. 2004.

Anexo A – Dicionário de dados do OntCatalog

TABELA: OnOCCatalog

Coluna	Tipo	Descrição
URI	Varchar	URI de identificação da ontologia no catálogo (repositório de ontologias) [http://purl.org/dc/elements/1.1/identifier] ²⁹
TYPE	Varchar	Tipo de ontologia: OL = Ontologia Local, OR = Ontologia de referência [http://purl.org/dc/elements/1.1/type]
OWNER	Varchar	Nome do usuário responsável pela ontologia [http://purl.org/dc/elements/1.1/creator]

TABELA: User

Coluna	Tipo	Descrição
USERNAME	Varchar	Nome do usuário [http://purl.org/dc/elements/1.1/identifier]
PASSWORD	Varchar	Senha [urn:onoc:ontCatalog#user.password]
TYPE	Varchar	Tipo de usuário: CLIENT / MEMBER / ADMIN [http://purl.org/dc/elements/1.1/type]

TABELA: Permission

Coluna	Tipo	Descrição
USERNAME	Varchar	Nome do usuário [http://purl.org/dc/elements/1.1/identifier]
URI	Varchar	URI de identificação da ontologia no catálogo (repositório de ontologias) [urn:onoc:ontCatalog#OnocOntology]
TYPE	Char(1)	Tipo de permissão: R = somente leitura, W = leitura e escrita [http://purl.org/dc/elements/1.1/type]

²⁹ Descrição dos metadados com base no vocabulário DC (Dublin Core, 2003)

Anexo B – Ontologias utilizadas para teste do OntCatalog

Ontologia de referência

```
<?xml version="1.0" ?>
- <rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#"
  xmlns="urn:onoc:AeroportoRO#"
  xmlns:rdfs="http://www.w3.org/2000/01/rdf-schema#"
  xmlns:owl="http://www.w3.org/2002/07/owl#"
  xmlns:dc="http://purl.org/dc/elements/1.1/"
  xml:base="urn:onoc:AeroportoRO">
  <owl:Ontology rdf:about="urn:onoc:AeroportoRO" />
  <owl:Class rdf:ID="Voo" />
  <owl:Class rdf:ID="Aeroporto" />
  <owl:Class rdf:ID="Pais" />
  <owl:Class rdf:ID="Estado" />
  - <owl:ObjectProperty rdf:ID="localizadoEm">
    - <owl:inverseOf>
      <owl:ObjectProperty rdf:ID="compostoPor" />
    </owl:inverseOf>
    <rdf:type rdf:resource="owl:TransitiveProperty" />
    <rdf:type rdf:resource="owl:FunctionalProperty" />
  </owl:ObjectProperty>
  - <owl:ObjectProperty rdf:about="urn:onoc:AeroportoRO#compostoPor">
    <owl:inverseOf rdf:resource="urn:onoc:AeroportoRO#localizadoEm" />
    <rdf:type rdf:resource="owl:TransitiveProperty" />
    <rdf:type rdf:resource="owl:InverseFunctionalProperty" />
  </owl:ObjectProperty>
  - <owl:DatatypeProperty rdf:ID="voo.cod">
    <rdfs:domain rdf:resource="urn:onoc:AeroportoRO#Voo" />
    <rdfs:range rdf:resource="http://www.w3.org/2001/XMLSchema#string" />
    <rdf:type rdf:resource="owl:FunctionalProperty" />
  </owl:DatatypeProperty>
  - <owl:FunctionalProperty rdf:ID="voo.origem">
    <rdfs:domain rdf:resource="urn:onoc:AeroportoRO#Voo" />
    <rdfs:range rdf:resource="urn:onoc:AeroportoRO#Aeroporto" />
    <rdf:type rdf:resource="owl:ObjectProperty" />
  </owl:FunctionalProperty>
  - <owl:FunctionalProperty rdf:ID="voo.destino">
    <rdfs:domain rdf:resource="urn:onoc:AeroportoRO#Voo" />
    <rdfs:range rdf:resource="urn:onoc:AeroportoRO#Aeroporto" />
    <rdf:type rdf:resource="owl:ObjectProperty" />
  </owl:FunctionalProperty>
  - <owl:DatatypeProperty rdf:ID="estado.cod">
    <rdfs:domain rdf:resource="urn:onoc:AeroportoRO#Estado" />
    <rdfs:range rdf:resource="http://www.w3.org/2001/XMLSchema#string" />
    <rdf:type rdf:resource="owl:FunctionalProperty" />
  </owl:DatatypeProperty>
  - <owl:FunctionalProperty rdf:ID="estado.nome">
    <rdfs:range rdf:resource="http://www.w3.org/2001/XMLSchema#string" />
    <rdfs:domain rdf:resource="urn:onoc:AeroportoRO#Estado" />
    <rdf:type rdf:resource="owl:DatatypeProperty" />
  </owl:FunctionalProperty>
  - <owl:FunctionalProperty rdf:ID="estado.pais">
    <rdfs:subPropertyOf rdf:resource="urn:onoc:AeroportoRO#localizadoEm" />
    <rdf:type rdf:resource="owl:ObjectProperty" />
    <rdfs:range rdf:resource="urn:onoc:AeroportoRO#Pais" />
    <rdfs:domain rdf:resource="urn:onoc:AeroportoRO#Estado" />
    <rdf:type rdf:resource="owl:TransitiveProperty" />
  </owl:FunctionalProperty>
</rdf:RDF>
```

```

</owl:FunctionalProperty>
- <owl:FunctionalProperty rdf:ID="aeroporto.cod">
  <rdf:type rdf:resource="owl:DatatypeProperty" />
  <rdfs:range rdf:resource="http://www.w3.org/2001/XMLSchema#string" />
  <rdfs:domain rdf:resource="urn:onoc:AeroportoRO#Aeroporto" />
</owl:FunctionalProperty>
- <owl:FunctionalProperty rdf:ID="aeroporto.nome">
  <rdf:type rdf:resource="owl:DatatypeProperty" />
  <rdfs:domain rdf:resource="urn:onoc:AeroportoRO#Aeroporto" />
  <rdfs:range rdf:resource="http://www.w3.org/2001/XMLSchema#string" />
</owl:FunctionalProperty>
- <owl:TransitiveProperty rdf:ID="aeroporto.estado">
  <rdf:type rdf:resource="owl:ObjectProperty" />
  <rdfs:domain rdf:resource="urn:onoc:AeroportoRO#Aeroporto" />
  <rdfs:range rdf:resource="urn:onoc:AeroportoRO#Estado" />
  <rdfs:subPropertyOf rdf:resource="urn:onoc:AeroportoRO#localizadoEm" />
  <rdf:type rdf:resource="owl:FunctionalProperty" />
</owl:TransitiveProperty>
- <owl:FunctionalProperty rdf:ID="pais.cod">
  <rdfs:range rdf:resource="http://www.w3.org/2001/XMLSchema#string" />
  <rdfs:domain rdf:resource="urn:onoc:AeroportoRO#Pais" />
  <rdf:type rdf:resource="owl:DatatypeProperty" />
</owl:FunctionalProperty>
- <owl:FunctionalProperty rdf:ID="pais.nome">
  <rdfs:domain rdf:resource="urn:onoc:AeroportoRO#Pais" />
  <rdfs:range rdf:resource="http://www.w3.org/2001/XMLSchema#string" />
  <rdf:type rdf:resource="owl:DatatypeProperty" />
</owl:FunctionalProperty>
- <Pais rdf:ID="Pais.Brasil">
  <pais.cod>55</pais.cod>
  <pais.nome>Brasil</pais.nome>
</Pais>
- <Pais rdf:ID="Pais.Canada">
  <pais.cod>1</pais.cod>
  <pais.nome>Canada</pais.nome>
</Pais>
- <Estado rdf:ID="Estado.RJ">
  <estado.cod>RJ</estado.cod>
  <estado.nome>Rio de Janeiro</estado.nome>
  <estado.pais rdf:resource="urn:onoc:AeroportoRO#Pais.Brasil" />
</Estado>
- <Estado rdf:ID="Estado.RS">
  <estado.cod>RS</estado.cod>
  <estado.nome>Rio Grande do Sul</estado.nome>
  <estado.pais rdf:resource="urn:onoc:AeroportoRO#Pais.Brasil" />
</Estado>
- <Estado rdf:ID="Estado.BC">
  <estado.cod>BC</estado.cod>
  <estado.nome>British Columbia</estado.nome>
  <estado.pais rdf:resource="urn:onoc:AeroportoRO#Pais.Canada" />
</Estado>
- <Estado rdf:ID="Estado.ON">
  <estado.cod>ON</estado.cod>
  <estado.nome>Ontario</estado.nome>
  <estado.pais rdf:resource="urn:onoc:AeroportoRO#Pais.Canada" />
</Estado>
- <Aeroporto rdf:ID="Aeroporto.GIG">
  <aeroporto.cod>GIG</aeroporto.cod>
  <aeroporto.nome>Galeão</aeroporto.nome>
  <aeroporto.estado rdf:resource="urn:onoc:AeroportoRO#Estado.RJ" />
</Aeroporto>
- <Aeroporto rdf:ID="Aeroporto.YYC">
  <aeroporto.cod>YYC</aeroporto.cod>
  <aeroporto.nome>Vancouver, BC</aeroporto.nome>
  <aeroporto.estado rdf:resource="urn:onoc:AeroportoRO#Estado.BC" />
</Aeroporto>
- <Aeroporto rdf:ID="Aeroporto.SDU">

```

```

    <aeroporto.cod>SDU</aeroporto.cod>
    <aeroporto.nome>Santos Dumont</aeroporto.nome>
    <aeroporto.estado rdf:resource="urn:onoc:AeroportoRO#Estado.RJ" />
  </Aeroporto>
- <Aeroporto rdf:ID="Aeroporto.POA">
    <aeroporto.cod>POA</aeroporto.cod>
    <aeroporto.nome>Salgado Filho</aeroporto.nome>
    <aeroporto.estado rdf:resource="urn:onoc:AeroportoRO#Estado.RS" />
  </Aeroporto>
- <Aeroporto rdf:ID="Aeroporto.YWC">
    <aeroporto.cod>YWC</aeroporto.cod>
    <aeroporto.nome>Toronto</aeroporto.nome>
    <aeroporto.estado rdf:resource="urn:onoc:AeroportoRO#Estado.ON" />
  </Aeroporto>
- <Voo rdf:ID="Voo.AC5528">
    <voo.cod>5528</voo.cod>
    <voo.origem rdf:resource="urn:onoc:AeroportoRO#Aeroporto.GIG" />
    <voo.destino rdf:resource="urn:onoc:AeroportoRO#Aeroporto.YYC" />
  </Voo>
- <Voo rdf:ID="Voo.VR2235">
    <voo.cod>2235</voo.cod>
    <voo.destino rdf:resource="urn:onoc:AeroportoRO#Aeroporto.POA" />
    <voo.origem rdf:resource="urn:onoc:AeroportoRO#Aeroporto.SDU" />
  </Voo>
- <Voo rdf:ID="Voo.AC1885">
    <voo.cod>1885</voo.cod>
    <voo.origem rdf:resource="urn:onoc:AeroportoRO#Aeroporto.YYC" />
    <voo.destino rdf:resource="urn:onoc:AeroportoRO#Aeroporto.YWC" />
  </Voo>
- <Voo rdf:ID="Voo.GL1998">
    <voo.cod>1998</voo.cod>
    <voo.destino rdf:resource="urn:onoc:AeroportoRO#Aeroporto.SDU" />
    <voo.origem rdf:resource="urn:onoc:AeroportoRO#Aeroporto.POA" />
  </Voo>
</rdf:RDF>
<!-- Created with Protege (with OWL Plugin 1.3, Build 183)
      http://protege.stanford.edu -->

```

Ontologia local – Fonte de objetos 2

```

<?xml version="1.0" ?>
- <rdf:RDF xmlns="urn:onoc:Src02#"
  xmlns:RO="urn:onoc:AeroportoRO#"
  xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#"
  xmlns:rdfs="http://www.w3.org/2000/01/rdf-schema#"
  xmlns:owl="http://www.w3.org/2002/07/owl#"
  xml:base="urn:onoc:Src02">
- <owl:Ontology rdf:about="urn:onoc:Src02">
    <owl:imports rdf:resource="http://www.inf.puc-rio.br/~dani/sw/ontologies/2005/
      03/Aeroporto.owl" />
  </owl:Ontology>
- <owl:Class rdf:ID="Flight">
    - <owl:equivalentClass>
      - <rdf:Description rdf:about="urn:onoc:AeroportoRO#Voo">
        <owl:equivalentClass rdf:resource="urn:onoc:Src02#Flight" />
      </rdf:Description>
    </owl:equivalentClass>
  </owl:Class>
- <owl:Class rdf:ID="State">
    - <owl:equivalentClass>
      - <rdf:Description rdf:about="urn:onoc:AeroportoRO#Estado">
        <owl:equivalentClass rdf:resource="urn:onoc:Src02#State" />
      </rdf:Description>
    </owl:equivalentClass>

```

```

</owl:Class>
- <owl:Class rdf:ID="Airport">
  - <owl:equivalentClass>
    - <rdf:Description rdf:about="urn:onoc:AeroportoRO#Aeroporto">
      <owl:equivalentClass rdf:resource="urn:onoc:Src02#Airport" />
    </rdf:Description>
  </owl:equivalentClass>
</owl:Class>
- <owl:ObjectProperty rdf:ID="flight.destination">
  <rdf:type rdf:resource="owl:FunctionalProperty" />
  <rdfs:domain rdf:resource="urn:onoc:Src02#Flight" />
  <rdfs:range rdf:resource="urn:onoc:Src02#Airport" />
  - <owl:equivalentProperty>
    - <rdf:Description rdf:about="urn:onoc:AeroportoRO#voo.destino">
      <rdfs:domain rdf:resource="urn:onoc:AeroportoRO#Voo" />
    </rdf:Description>
  </owl:equivalentProperty>
</owl:ObjectProperty>
- <owl:DatatypeProperty rdf:ID="airport.code">
  <rdf:type rdf:resource="owl:FunctionalProperty" />
  <rdfs:domain rdf:resource="urn:onoc:Src02#Airport" />
  <rdfs:range rdf:resource="http://www.w3.org/2001/XMLSchema#string" />
  - <owl:equivalentProperty>
    - <rdf:Description rdf:about="urn:onoc:AeroportoRO#aeroporto.cod">
      <rdfs:domain rdf:resource="urn:onoc:AeroportoRO#Aeroporto" />
    </rdf:Description>
  </owl:equivalentProperty>
</owl:DatatypeProperty>
- <owl:DatatypeProperty rdf:ID="flight.code">
  <rdf:type rdf:resource="owl:FunctionalProperty" />
  <rdfs:domain rdf:resource="urn:onoc:Src02#Flight" />
  <rdfs:range rdf:resource="http://www.w3.org/2001/XMLSchema#string" />
  - <owl:equivalentProperty>
    - <rdf:Description rdf:about="urn:onoc:AeroportoRO#voo.cod">
      <rdfs:domain rdf:resource="urn:onoc:AeroportoRO#Voo" />
    </rdf:Description>
  </owl:equivalentProperty>
</owl:DatatypeProperty>
- <owl:DatatypeProperty rdf:ID="airport.name">
  <rdf:type rdf:resource="owl:FunctionalProperty" />
  <rdfs:domain rdf:resource="urn:onoc:Src02#Airport" />
  <rdfs:range rdf:resource="http://www.w3.org/2001/XMLSchema#string" />
  - <owl:equivalentProperty>
    - <rdf:Description rdf:about="urn:onoc:AeroportoRO#aeroporto.nome">
      <rdfs:domain rdf:resource="urn:onoc:AeroportoRO#Aeroporto" />
    </rdf:Description>
  </owl:equivalentProperty>
</owl:DatatypeProperty>
- <owl:DatatypeProperty rdf:ID="state.code">
  <rdf:type rdf:resource="owl:FunctionalProperty" />
  <rdfs:domain rdf:resource="urn:onoc:Src02#State" />
  <rdfs:range rdf:resource="http://www.w3.org/2001/XMLSchema#string" />
  - <owl:equivalentProperty>
    - <rdf:Description rdf:about="urn:onoc:AeroportoRO#estado.cod">
      <rdfs:domain rdf:resource="urn:onoc:AeroportoRO#Estado" />
    </rdf:Description>
  </owl:equivalentProperty>
</owl:DatatypeProperty>
- <owl:FunctionalProperty rdf:ID="state.name">
  <rdf:type rdf:resource="owl:DatatypeProperty" />
  <rdfs:range rdf:resource="http://www.w3.org/2001/XMLSchema#string" />
  <rdfs:domain rdf:resource="urn:onoc:Src02#State" />
  - <owl:equivalentProperty>
    - <rdf:Description rdf:about="urn:onoc:AeroportoRO#estado.nome">
      <rdfs:domain rdf:resource="urn:onoc:AeroportoRO#Estado" />
    </rdf:Description>
  </owl:equivalentProperty>

```

```

</owl:FunctionalProperty>
- <owl:FunctionalProperty rdf:ID="flight.origin">
  <rdf:type rdf:resource="owl:ObjectProperty" />
  <rdfs:range rdf:resource="urn:onoc:Src02#Airport" />
  <rdfs:domain rdf:resource="urn:onoc:Src02#Flight" />
- <owl:equivalentProperty>
  - <rdf:Description rdf:about="urn:onoc:AeroportoRO#voo.origem">
    <rdfs:domain rdf:resource="urn:onoc:AeroportoRO#Voo" />
  </rdf:Description>
</owl:equivalentProperty>
</owl:FunctionalProperty>
<Airport rdf:ID="Airport.JFK" />
<Airport rdf:ID="Airport.ATL" />
<Airport rdf:ID="Airport.MIA" />
<State rdf:ID="State.NY" />
<State rdf:ID="State.GA" />
<State rdf:ID="State.FL" />
- <Flight rdf:ID="Flight.DL1159">
  <flight.destination rdf:resource="urn:onoc:Src02#Airport.ATL" />
  <flight.origin rdf:resource="urn:onoc:Src02#Airport.MIA" />
</Flight>
- <Flight rdf:ID="Flight.AA518">
  <flight.origin rdf:resource="urn:onoc:Src02#Airport.JFK" />
  <flight.destination rdf:resource="urn:onoc:Src02#Airport.MIA" />
</Flight>
- <Flight rdf:ID="Flight.AA933">
  <flight.destination rdf:resource="urn:onoc:Src02#Airport.JFK" />
  <flight.origin rdf:resource="urn:onoc:Src02#Airport.MIA" />
</Flight>
- <Flight rdf:ID="Flight.DL1285">
  <flight.destination rdf:resource="urn:onoc:Src02#Airport.JFK" />
  <flight.origin rdf:resource="urn:onoc:Src02#Airport.ATL" />
</Flight>
</rdf:RDF>
<!-- Created with Protege (with OWL Plugin 1.3, Build 183)
http://protege.stanford.edu -->

```

Anexo C – Relatório de testes do OntCatalog

Unit Test Results

Designed for use with JUnit and Ant.

Summary

Tests	Failures	Errors	Success rate	Time
7	0	0	100,0%	36.125

Note: failures are anticipated and checked for with assertions while errors are unanticipated.

Packages

Note: package statistics are not computed recursively, they only sum up all of its testsuites numbers.

Name	Tests	Failures	Errors	Time
junitTests	7	0	0	36.125

Package junitTests

Name	Tests	Failures	Errors	Time
OnOCServicesTest	7	0	0	36.125

TestCase OnOCServicesTest

Name	Status	Time
testGetOntologyStringStringString	Success	11.796
testGetOntologyStringStringString	Success	7.203
testGetTermDescription	Success	7.859
testRegisterObjectSrc	Success	4.344
testRegisterNewApp	Success	0.016
testSetAppPermission	Success	0.000
testQuery	Success	4.265

Properties of junitTests.OnOCServicesTest

Name	Value
ant.file	E:\eclipse\workspace\OnOC\junitTests\junitTests\runJUnitTest.xml
ant.java.version	1.4
ant.project.name	OnOCServicesTests
ant.version	Apache Ant version 1.5.3 compiled on April 9 2003
awt.toolkit	sun.awt.windows.WToolkit
basedir	E:\eclipse\workspace\OnOC\junitTests\junitTests
bin	E:\eclipse\workspace\OnOC\OnOC\WEB-INF\classes
DSTAMP	20050319
eclipse.running	true
file.encoding	Cp1252
file.encoding.pkg	sun.io
file.separator	\
java.awt.graphicsenv	sun.awt.Win32GraphicsEnvironment
java.awt.printerjob	sun.awt.windows.WPrinterJob
java.class.path	E:\eclipse\workspace\OnOC\OnOC\WEB-INF\classes;E:\eclipse\workspace\OnOC\OnOC\WEB-INF\lib\antlr.jar;E:\eclipse\workspace\OnOC\OnOC\WEB-INF\lib\commons-logging.jar;E:\eclipse\workspace\OnOC\OnOC\WEB-INF\lib\concurrent.jar;E:\eclipse\workspace\OnOC\OnOC\WEB-INF\lib\icu4j.jar;E:\eclipse\workspace\OnOC\OnOC\WEB-INF\lib\jakarta-oro-2.0.5.jar;E:\eclipse\workspace\OnOC\OnOC\WEB-INF\lib\jena.jar;E:\eclipse\workspace\OnOC\OnOC\WEB-INF\lib\junit.jar;E:\eclipse\workspace\OnOC\OnOC\WEB-INF\lib\log4j-1.2.7.jar;E:\eclipse\workspace\OnOC\OnOC\WEB-INF\lib\mysql-connector-java-3.1.1-alpha-bin.jar;E:\eclipse\workspace\OnOC\OnOC\WEB-INF\lib\rdf-api-2001-01-19.jar;E:\eclipse\workspace\OnOC\OnOC\WEB-INF\lib\xercesImpl.jar;E:\eclipse\workspace\OnOC\OnOC\WEB-INF\lib\xml-apis.jar;E:\eclipse\workspace\WOSP\wosp\WEB-INF\lib\junit.jar;E:\eclipse\plugins\org.apache.ant_1.5.3\ant.jar;E:\eclipse\plugins\org.apache.ant_1.5.3\optional.jar

Name	Value
java.class.version	48.0
java.endorsed.dirs	D:\Arquivos de programas\Java\j2re1.4.2_05\lib\endorsed
java.ext.dirs	D:\Arquivos de programas\Java\j2re1.4.2_05\lib\ext
java.home	D:\Arquivos de programas\Java\j2re1.4.2_05
java.io.tmpdir	D:\DOCUME~1\DBr\CONFIG~1\Temp\
java.library.path	D:\Arquivos de programas\Java\j2re1.4.2_05\bin;.;D:\WINDOWS\System32;D:\WINDOWS;D:\WINDOWS\system32;D:\WINDOW S;D:\WINDOWS\System32\wbem;E:\j2sdk1.4.0\rel\bin;E:\j2sdk1.4.0\bin;E:\Arquivos de programas\Apache Group\Tomcat 4.1\bin;E:\Jena-2.0\lib;E:\Jena-2.1\lib;D:\ARQUIV~1\ATT\Graphviz\bin;D:\ARQUIV~1\ATT\Graphviz\bin\tools;C:\PROGRA~1\ATT\Graphviz\bin;C:\PROGRA~1\ATT\Graphviz\bin\tools;E:\Objecteering\bin
java.runtime.name	Java(TM) 2 Runtime Environment, Standard Edition
java.runtime.version	1.4.2_05-b04
java.specification.name	Java Platform API Specification
java.specification.vendor	Sun Microsystems Inc.
java.specification.version	1.4
java.util.prefs.PreferencesFactory	java.util.prefs.WindowsPreferencesFactory
java.vendor	Sun Microsystems Inc.
java.vendor.url	http://java.sun.com/
java.vendor.url.bug	http://java.sun.com/cgi-bin/bugreport.cgi
java.version	1.4.2_05
java.vm.info	mixed mode
java.vm.name	Java HotSpot(TM) Client VM
java.vm.specification.name	Java Virtual Machine Specification
java.vm.specification.vendor	Sun Microsystems Inc.
java.vm.specification.version	1.0
java.vm.vendor	Sun Microsystems Inc.
java.vm.version	1.4.2_05-b04
lib	E:\eclipse\workspace\OnOC\OnOC\WEB-INF\lib
line.separator	
org.eclipse.jdt.debug.ui.scrapbookActive	false
org.eclipse.ui.externaltools.ATTR_ANT_PROCESS_ID	1111205450967
org.xml.sax.driver	org.apache.crimson.parser.XMLReaderImpl
os.arch	x86
os.name	Windows XP
os.version	5.1
path.separator	:
report.dir	E:\eclipse\workspace\OnOC\junitTests\junitTests\report
report.html.dir	E:\eclipse\workspace\OnOC\junitTests\junitTests\report\html
report.timestamp	20050319-011052
src.tests	E:\eclipse\workspace\OnOC\junitTests
sun.arch.data.model	32
sun.boot.class.path	D:\Arquivos de programas\Java\j2re1.4.2_05\lib\rt.jar;D:\Arquivos de programas\Java\j2re1.4.2_05\lib\i18n.jar;D:\Arquivos de programas\Java\j2re1.4.2_05\lib\sunrsasign.jar;D:\Arquivos de programas\Java\j2re1.4.2_05\lib\jsse.jar;D:\Arquivos de programas\Java\j2re1.4.2_05\lib\jce.jar;D:\Arquivos de programas\Java\j2re1.4.2_05\lib\charsets.jar;D:\Arquivos de programas\Java\j2re1.4.2_05\classes
sun.boot.library.path	D:\Arquivos de programas\Java\j2re1.4.2_05\bin
sun.cpu.endian	little
sun.cpu.isalist	pentium i486 i386
sun.io.unicode.encoding	UnicodeLittle
sun.java2d.fontpath	
sun.os.patch.level	
TODAY	March 19 2005
TSTAMP	0110
user.country	BR
user.dir	E:\eclipse
user.home	D:\Documents and Settings\DBr
user.language	pt
user.name	DBr
user.timezone	
user.variant	
vendor	Apache Software Foundation
vendor-url	http://xml.apache.org/xalan-j
version	2.4.1