

Bibliografia

- [1] Lucena Júnior, A. Arte da Animação: Técnicas e Estética Através da História. São Paulo:Senac, 2002. 456p.
- [2] Estúdios Disney. Tron. Disponível em: <<http://disney.go.com/vault/archives/movies/tron/tron.html>>. Acesso em: 19 Maio 2005.
- [3] Lasseter, J. Principles of traditional animation applied to 3D computer animation. In: SIGGRAPH, 14., 1987, Anaheim. Anais. ACM Press, 1987. p 35–44.
- [4] Catmull, E. The problems of computer-assisted animation. In: SIGGRAPH, 5., 1978, Atlanta. Anais. ACM Press, 1978. p 348–353.
- [5] Fekete, J. D.; Bizouarn, E.; Cournarie, E.; Galas, T.; Taillefer, F. TicTac-Toon: A paperless system for professional 2D animation. In: SIGGRAPH, 22., 1995, Los Angeles. Anais. ACM Press, 1995. p 79–90.
- [6] Patterson, J. W.; Willis, P. J. Computer-assisted animation: 2D or not 2D? The Computer Journal, v.37, n.10, p. 829–839, 1994.
- [7] Baecker, R. M. Picture-driven animation. In: Spring Joint Computer Conference, 34., 1969, Montavale. Anais. American Federation of Information Processing Societies(AFIPS Press), 1969. p 273–288.
- [8] Burtnyk, N.; Wein N. Computer generated key frame animation. Journal Society for Motion Picture and Television Engineers, v.80, n3. p. 149–153, 1971.
- [9] Levoy, M. A color animation system based on the multiplane technique. In: SIGGRAPH, 4., 1977, San Jose. Anais. ACM Press, 1977. p. 54–64.
- [10] Stern, G. SoftCel: an application of raster scan graphics to conventional cel animation. In: SIGGRAPH, 6., 1979, Chicago. Anais. ACM Press, 1979. p. 284–288.

- [11] Wallace, B. A. Merging and transformation of raster images for cartoon animation. In: SIGGRAPH, 8., 1981, Dallas. Anais. ACM Press, 1981. p. 253–262.
- [12] Smith, A. R. Tint fill. In: SIGGRAPH, 6., 1979, Chicago. Anais. ACM Press, 1979. p. 276–283.
- [13] Catmull E. A hidden-surface algorithm with anti-aliasing. In: SIGGRAPH, 5., 1978, Atlanta. Anais. ACM Press, 1978. p. 348–353.
- [14] Burtnyk, N.; Wein, N. Interactive skeleton techniques for enhancing motion dynamics in key-frame animation. Communications of the ACM, v.19, n.10, p. 564–569, 1976.
- [15] Reeves, W. T. Inbetweening for computer animation utilizing moving point constraints. In SIGGRAPH, 8., 1981, Dallas. Anais. ACM Press, 1981. p. 263–269.
- [16] Sederberg, T. W.; Greenwood, E. A physically based approach to 2D shape blending. In: SIGGRAPH, 26., 1992, Chicago,. Anais. ACM Press, 1992. p. 25–34.
- [17] Shapira, M.; Rappoport, A. Shape blending using the star-skeleton representation. IEEE Computer Graphics and Applications, v.15, n.2, 1995. p. 44–50.
- [18] Porter, P.; Duff, T. Compositing Digital Images. In: SIGGRAPH, 18., 1984, Minneapolis. Anais. ACM Press, 1984. p.253–259.
- [19] Magnenat-Thalmann, N.; Thalmann, D. Computer Animation: Theory and Practice. Nova Iorque: Springer-Verlag, 1990. 240p.
- [20] Durand, C. The TOON Project: requirement for a computerized 2D animation system. In: SIGGRAPH, 15., 1991, Las Vegas. Anais. ACM Press, 1991. p. 285–293.
- [21] Toon Boom Animation Inc. 2D Animation Software, Toonboom. Disponível em: <<http://www.toonboom.com/>>. Acesso em: 05 Maio 2005.
- [22] CELSYS INC. Retas! Pro – Real Easy 2D Animation Software. Disponível em: <<http://www.retas.com>>. Acesso em: 05 Maio 2005.
- [23] Cambridge Animation Systems. Cambridge Animation Systems: Products - Animo. Disponível em:

- <<http://www.cambridgeanimation.com/products/animo.htm>>. Acesso em: 05 Maio 2005.
- [24] Adobe Systems. Adobe After Effects. Disponível em: <<http://www.adobe.com/products/aftereffects/main.html>>. Acesso em: 23 Maio 2005.
- [25] Johnston, S. F. Lumo: Illumination for cel animation. In NPAR – International Symposium on Non-Photorealistic Animation and Rendering, 2., 2002, Annecy. Anais. ACM Press, 2002. p. 45–ff.
- [26] Zhuang, X.; Haralick, R. Morphological Structuring Element Decomposition. Computer Vision, Graphics, and Image Processing, v.35, n.3, 1986, p. 370–382.
- [27] Gonzales, R. C.; Woods, R. E. Digital Image Processing. Reading: Addison-Wesley, 1992. 716p.
- [28] Parker, J. R. Practical Computer Vision using C. Nova Yorque: John Wiley and Sons, Inc, 1994. 476p.
- [29] Gooch, B.; Gooch, A. Non-Photorealistic Animation Rendering. Natick: A K Peters, 2001. 250p.
- [30] Les Triplettes de Belleville. Les Triplettes de Belleville, un film de Sylvain Chomet. Disponível em: <<http://www.lestriplettesdebelleville.com/>>. Acesso em: 21 Maio 2005.
- [31] Williams, L. Shading in Two Dimensions. In: Graphics of Interface, 1991. Anais. Morgan Kaufmann Publishers Inc, 1991. p. 143–151.
- [32] Lake, A.; Marshall, C.; Harris, M.; Blackstein, M. Stylized. Rendering techniques for scalable real-time 3D animation. In: NPAR - International Symposium on Non-Photorealistic Animation and Rendering, 1., 2000, Annecy. ACM Press, 2000. p. 13–20.
- [33] Pojo. Pokemon, Dragon Ball Z, Magic The Gathering, Digimon, Gundam Wing, Anime, Games. Disponível em: <<http://www.pojo.com/yu-gi-oh/cartoon/seto.shtml>>. Acesso em: 21 Maio 2005.
- [34] Gouraud, H. Continuous shading of curved surfaces. IEEE Transactions on Computers, v.20, n.6, 1977, p. 623–629.
- [35] Phong, B. Illumination for computer-generated pictures. Communications of the ACM, v.18, n.3, 1975, p. 311–317.

- [36] Corrêa, W. T.; Jensen, R. J.; Thayer, C. E.; Finkelstein, A. Texture Mapping for Cel Animation. In: SIGGRAPH, 25., 1998, Orlando. Anais, ACM Press, 1998. p. 435–446.
- [37] Gomes, J.; Velho, L. Fundamentos da Computação Gráfica. Rio de Janeiro: Instituto de Matemática Pura e Aplicada, IMPA, 2004. 603p.
- [38] Velho, L.; Gomes, J. Sistemas Gráficos 3D. Rio de Janeiro: Instituto de Matemática Pura e Aplicada, IMPA, 2001. 330p.
- [39] Seah, H. S.; Feng, T. Computer-assisted coloring by matching line drawings. *The Visual Computer*, v.16, n.6, 2000, p. 289–304.
- [40] Qiu, J.; Seah, H. S.; Tian, F.; Chen, Q.; Melikhov, K. Computer-assisted auto coloring by region matching. In: Pacific Conference on Computer Graphics and Applications, 11., 2003, Canmore. Anais. IEEE Computer Society, 2003. p. 175–185.
- [41] Madeira, J. S.; Stork, A.; Gross, M. H. An approach to computer-supported cartooning. *The Visual Computer*, v.12, n.1, 1996, p. 1–17.
- [42] Belongie, S.; Malik, J.; Puzicha, J. Shape Matching and Object Recognition Using Shape Contexts. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, v.24, n.4, 2002, p. 509–522.
- [43] Solomon C. Enchanted Drawings: The History of Animation. New York:Knopf, 1989.
- [44] Perlin, K.; An image synthesizer. In: SIGGRAPH, 12., 1985, San Francisco. Anais. ACM Press, 1985. p. 287–296.
- [45] Cook, R. L. Shade trees. In: SIGGRAPH, 11., 1984, Minneapolis. Anais, ACM Press, 1984. p. 223–231.
- [46] Pixar Animation Studios. Pixar's RenderMan Products. Disponível em: <<https://renderman.pixar.com/>>. Acesso em: 21 Maio 2005.
- [47] Hertzmann, A.; Jacobs, C. E.; Oliver, N.; Curless, B.; Salesin, D. Image analogies. In: SIGGRAPH, 28., 2001, Los Angeles. Anais. ACM Press, 2001. p. 327–340.
- [48] Bezerra, H.; Velho, L.; Feijo, B. Sombreamento 3D para animação 2D. 2005. 4f. Relatório Técnico - Laboratório VISGRAF, Instituto Nacional de Matemática Pura e Aplicada, Rio de Janeiro.

- [49] Sýkora, D. Inking old black and white cartoons. 2003. 56f. Tese (Doutorado em Ciência da Computação) - Faculty of Electrical Engineering, Czech Technical University in Prague, Praga, República Tcheca, 2003.
- [50] McCloud, S. Understanding Comics. Nova Iorque: Harper Collins Publishers, 1993. 224p.
- [51] Foley, J. D.; Van Dam, A.; Feiner, S. K.; Hughes, J. F. Computer Graphics: Principles and Practice in C. Reading: Addison-Wesley, 1990. 1200p.
- [52] Parent, R. Computer Animation: Algorithms and Techniques. Boston: Morgan Kaufmann Publishers, 2002. 560p.
- [53] Chang, C.; Lee, S. Automatic cel painting in computer-assisted cartoon production using similarity recognition. The Journal of Visualization and Computer Animation, v.8, n.3, 1997, p. 165–185.
- [54] Markle, W. The development and application of colorization. SMPTE Journal, p. 632–635.
- [55] Reinhard, E.; Ashikhmin, M.; Gooch, B.; Shirley, P. Color transfer between images. IEEE Computer Graphics and Applications, v.21, n.5, 2001, p. 34–41.
- [56] Cassidy, J. C.; Sean, E. A.; Joshua, E. S.; Fleischer, K. W.; Salesin, D. Computer-generated watercolor. In: SIGGRAPH, 24., 1997, Los Angeles. Anais. ACM Press, 1997. p. 421–430.
- [57] Levin, A.; Lischinski, D.; Weiss, Y. Colorization using optimization. ACM Transactions on Graphics, v.23, n.3. 2004. p. 689–694.
- [58] Sýkora, D.; Burianek, J.; Zara, J. Unsupervised colorization of black-and-white cartoons. In: NPAR - 3rd International Symposium on Non-Photorealistic Animation and Rendering, 3., 2004, Annecy. Anais. ACM Press, 2004. p. 121–128.
- [59] Sýkora, D.; Burianek, J.; Zara, J. Segmentation of black and white cartoons. In: Spring Conference on Computer Graphics, 2003, Budmerice,. Anais. ACM Press, 2003. p. 223–230.
- [60] Durand, F. An invitation to discuss computer depiction. In: NPAR - International Symposium on Non-Photorealistic Animation and Rendering, 2., 2002, Annecy. Anais. ACM Press, 2002. p. 111–124.

- [61] Sloan, P. J.; Martin, W.; Gooch, A.; Gooch, B. The Lit Sphere: A model for capturing NPR shading from art. In: Graphics Interface, 2001, Ottawa. Anais. Canadian Information Processing Society, 2001. p. 143–150.
- [62] Hertzmann, A. Fast paint texture. In: NPAR - International Symposium on Non-Photorealistic Animation and Rendering, 2., 2002, Annecy. Anais. ACM Press, 2002. p. 91–ff.
- [63] Grabli, S.; Turquin, E.; Durand, F.; Sillion, F. Programmable style for NPR line drawing. In: Rendering Techniques 2004 (Eurographics Symposium on Rendering), 15., 2004. Anais. ACM Press, 2004.
- [64] Madeira, J. S. A new region matching-based approach to computer-assisted cartooning. 1998. 233f. Tese (doutorado em ciência da computação) - Darmstadt University, Darmstadt, Alemanha.