

## Referências

- [1] -Atlas, R.M. (1993). *Microbial Ecology: Fundamentals and Applications*, third ed., pp. 39–43.
- [2] - G. J. M. de Koning, , A. H. C. Scheeren, P.J. Lemstra, M. Peters h. Reynaers, (1994) *Polymer* vol 35, p. 4598
- [3] – Van Wegen et al., (1998)
- [4] - Bagley, E. B.; Fanta, G. F.; Burr, R. C. (1977) *Polymer Engineering Scientific*, vol. 17, p. 311-316
- [5] – Gogolewski, S.; Janvanovic, M.; Perren, S. M.; Dillon, J. G.; Hughes, G. (1993) *Polymer Degradation and Stabilization*, vol. 40, p. 313-322
- [6] –Eckelt J.; Loske S.; Gonçalves M.C.; Wolf B.A. (2003) *J. of Membrane Science*, vol 212, p. 69-74
- [7] - <http://www.msifilters.com/Page1019.htm>
- [8] - Shashidhara G.M. ; Guruprasad K.H.; Varadarajulu A. (2002) *European Polymer Journal* , vol 38 p.611–614.
- [9] - Varadarajulu A, Reddy RL. Acust Acta Acust 1998;84:577.
- [10] Varadarajulu A, Reddy RL, Raghavendra SM, Ahmed AS. *J Polym Mater*, vol 998, p. 15:325.
- [11] Reddy RL. PhD thesis, Sri Krishnadevaraya University,Anantapur, India, 1999.
- [12] - S.M. Zebarjad, M. Tahani , S.A. Sajjadi, (2004) *J. of Mat. Proc. Tech.*, vol 1459.
- [13] Sivakumar M. PhD thesis, Anna University, Chennai, India, 1998.
- [14] Jeremic K, Dunjic B, Djonagic J, Jovanovic S. (1998) *J Serb Chem Soc* ;63(10):753.
- [15] - De Koning et al., 1997
- [16]A. Steinbüchel e B. Füchtenbusch, V. Gorenflo, S. Hein, R. Jossek, S. Langenbach, B. H. A. Rehm (1998), *Polymer Degradation and Stability*, vol 59, p. 177
- [17] - Sharma e Ray, 1995
- [18] - Gesner, 1964

- [19] – L. Costa, G. Camino, G. Bertelli, R. Locatelli, M. P. Luda, (1991), *Polymer degradation and stability*, vol 34 p. 55
- [20] – L. A.Utracki,, (ed) Carl Hanser, “Polymer Alloys and Blends: thermodynamics and rheology”, (1989) editora Verleg, Munique, ISBN 3-446-14200-2.
- [21] - Mano, (1991)
- [22] - Liu, N. C. (1992) *Reactive polymers for blend compatibilization* – Adv. Polymer Technology, vol. 11, p. 249-262
- [23] - Markham, 1990
- [24] – José M Luengo; Belén Garcia, Angel Sandoval, Current opinion in Microbiology (2003), vol 6 p. 251-260
- [25] - Rubén Sanchez, Jan Schripsema, Luziana F. Da Silva, Marilda K. Taciro, Jose G.C. Pradella, J. Gregório C. Gómez, (2003), *European Polymer Journal* vol 29, p. 1385-1394.
- [26] -Surface analysis method in materials science, ed D. J. O'connor, B. A. Sexton, R. St. C. Smart, Springer-Verlag, Heidelberg, (1992).
- [27] - XPS peak software - <http://www.icp.csic.es/xps/programas.html#xpspeak>.
- [28] - D.A. Shirley, Phys. Rev. B 5, 4709 (1972).
- [29] - “Handbook of X-Ray Photoelectron Spectroscopy”, C.D. Wagner, W.M. Riggs, L.E. Davis, J.F. Moulder, G.E. Muilenberg – Perkin-Elmer Corporation, 1979.
- [30] - C. Ton-That, A.G. Shard, D.O.H. Teare, R.H. Bradley, Polymer 42, 1121 (2001).
- [31] – <http://www.nanotec.es>
- [32] - Nishi T. And Wang T.T. , *Macromolecules* (1975), vol 8, 809
- [33] - Maekawa, M., Pearce, R., Marchessault, R.H., Manley, R.S.J..( F.;). *Polymer*, vol. 40, pp. 1501-1505.
- [34] – Erzdine Ferjani, Mustapha Mejdoub, Mahomed S. Roudesli, Mohamed M. Chehimi, David Picard, Michel Delamar, *J of Membrane Science* (2000), vol 165 p. 125-133
- [35] – C. M. S. Almeida , “Análise por XPS e AFM da superfícies de blendas de PVC/PHB”, Dissertação de Mestrado, PUC-Rio, Março 2004.
- [36] - Nanotec Electronica S. L., Parque Científico de Madrid, Pabellon C, campos UAM, Cantoblanco E-28049, Madrid, Spain.
- [37] – S. Godbole, S. Gote, M. Latkar, T. Chakrabarti, *Bioresource Technology* (2003), vol 86 p. 33-37

[38]- D.M. Zhang, F.Z. Cui, Z.S. Luo, Y.B. Lin, K. Zhao, G.Q. Chen, Surf. Coat. Tech. 131, 350 (2000).