

7 Referências bibliográficas

ABDULLAH, A.J., 1955, **Some Aspects of the Dynamics of Tornadoes**. Monthly Weather Review, 83, pp. 83-94.

ALMEIDA, A.A.D., ROEHL, J.L., ALVES, J.L., 2005, **Should Standard Building Structures in Brazil be Guaranteed by a Seismic Resistant Design?** Journal of the Brazilian Society of Mechanical Sciences and Engineering, ABCM, 27, nº 2, pp. 104-109.

AMERICAN NATIONAL STANDARDS INSTITUTE, 1982, **A58.1**: American National Standard Building Code Requirements for Minimum Design Loads in Buildings and Other Structures. New York.

ASNANI, G.C., 1993, **Tropical Meteorology**. Pune, India: Indian Institute of Tropical Meteorology, Vol. 1 e 2, 1202 p.

ASSOCIAÇÃO BRASILEIRA DE NORMAS TÉCNICAS, 1988, **NBR 6123**: Forças Devidas ao Vento em Edificações. Rio de Janeiro.

BATES, F.C., SWANSON, A.E., 1967, **Tornado Considerations for Nuclear Power Plants**. Transactions of the American Nuclear Society, 10, pp. 712-713.

BINDER, R.C., 1949, **Fluid Mechanics**. Nova York: 2ª ed. Prentice Hall.

BROOKS, H. E., 2006, **A Global View of Severe Thunderstorms: Estimating the Current Distribution and Possible Future Changes**. Severe Local Storms Special Symposium, 86th AMS Annual Meeting.

CHANG, C.C., 1966, **First Real Man Made Tornado is Generated in Laboratory Cage by Space Scientists at the Catholic University of America.** News Item of PI of CUA.

CHANG, C.C., 1971, **Tornado Wind Effects on Buildings and Structures with Laboratory Simulation.** Proceedings, 3rd International Conference on Wind Effects on Buildings and Structures, pp. 213-240.

CHANG, C.C.*, 1971, **What We Learned for the Tornado of Lubbock, Texas, U.S.A., May 11, 1970.** Proceedings, 3rd International Conference on Wind Effects on Buildings and Structures, pp. 471-480.

CHANG, C.C., WAN, C.A., 1972, **Measurement of a Velocity Field in Simulated Tornado-like Vortex Using a Three Dimensional Velocity Probe.** Journal of Atmospheric Sciences, 28, pp. 116-127.

DAVENPORT, A.G., 1961, **The Application of Statistical Concepts to the Wind Loading on Structures.** Proceedings, The Institution of Civil Engineers, 19, pp. 449-472.

DOAN, P.L., 1970, **Tornado Considerations for Nuclear Power Plant Structures.** Nuclear Safety, 11, pp. 296-308.

DUTTA, P.K., GHOSH, A.K., AGARWAL, B.L., 2002, **Dynamic Response of Structures Subjected to Tornado Loads by FEM.** Journal of Wind Engineering and Industrial Aerodynamics, 90, pp. 55-69.

DYER, R., 1991, **Considerações sobre a Ocorrência de Tornados no Brasil, Paraguai e Argentina.** Revista Brasileira de Cartografia, pp. 78-94.

EBERLINE, D.K., WIPF, T.J., GREIMANN, L.F., 1991, **Finite Element Idealization of Nonlinear Structural Response to Tornado Wind Loads.** Finite Element in Analysis and Design, 10, pp. 59-74.

ETKIN, B., 1966, **Theory of the Response of a Slender Vertical Structure to a Turbulent Wind With Shear**. Meeting on Ground Wind Load Problems in Relation to Launch Vehicles, held at NASA Langley Research Center.

FINLEY, J.P., 1884, **Report on Character of Six Hundred Tornadoes**. Prof. Papers of the Signal Service N° VII.

FLORA, S.D., 1953, **Tornadoes in the United States**. Oklahoma: University of Oklahoma Press, 221 p.

FUJITA, T.T., 1960, **A Detailed Analysis of the Fargo Tornadoes**. Research Paper n° 42, U.S. Department of Commerce, Weather Bureau, Washington D.C.

FUJITA, T.T., 1970, **Proposed Characterization of Tornadoes and Hurricanes by Area and Intensity**. Satellite and Mesometeorology Research Project, University of Chicago.

FUJITA, T.T., 1976, **Recent Concept of Tornado Winds**. Proceedings of the Second USA-Japan Research Seminar on Wind Effects on Structures, pp. 1-14.

FUNG, Y.C., 1969, **An Introduction to the Theory of Aeroelasticity**. Dover, New York.

GLASSLER, A.H., 1960, **An Observational Deduction of the Structure of a Tornado Vortex, Tornado Dynamics**. Proceedings of the First Conference on Cumulus Convection, pp. 157-166.

GOLIGER, A.M., MILFORD, R.V., 1998, **A Review of Worldwide Occurrence of Tornadoes**. Journal of Wind Engineering and Industrial Aerodynamics, 74-76, pp. 111-121.

HOECKER, W.H., 1960, **Wind Speed and Air Flow Pattern in the Dallas Tornado of April, 1957**. Monthly Weather Review, 88, n° 5, pp. 167-180.

HOECKER, W.H., 1961, **Three Dimensional Pressure Pattern of the Dallas Tornado and Some Resultant Implications.** Monthly Weather Review, 89, pp. 533-542.

JISCHKE, M.C., LIGHT, B.D., 1983, **Laboratory Simulation of Tornadic Wind Loads of a Rectangular Model Structure.** Journal of Wind Engineering and Industrial Aerodynamics, 13, pp. 371-382.

KESSLER, E., 1970, **Tornadoes.** Bulletin of the American Meteorological Society, 51, pp. 926-936.

KEULEGAN, G.H., CARPENTER, L.H., 1958, **Forces on Cylinders and Plates in an Oscillating Fluid,** Journal of Research, National Bureau of Standards, 60, pp. 423-440.

KUO, H.L., 1971, **Asisymmetric Flows in the Boundary Layer of a Maintained Vortex.** Journal of Atmospheric Sciences, 28, pp. 20-41.

MARKEE, E.H., BECKERLEY, J.G., SANDERS, K.E., 1974, **Technical Basis for Interim Regional Tornado Criteria.** U.S. Atomic Energy Commission, Office of Regulation.

McDONALD, J.R., 1970, **Structural Response of a Twenty Story Building to the Lubbock Tornado.** Storm Research Report TTU SRR01, Texas Tech University.

McDONALD, J.R., MEHTA, K.C., MINOR, J.E., 1974, **Tornado Resistant Design of Nuclear Power Plant Structures.** Journal of Nuclear Safety, 15, pp. 432-439.

MEHTA, K.C., McDONALD, J.R., MINOR, J.E., 1976, **Tornadic Loads on Structures.** Proceedings of the Second USA-Japan Research Seminar on Wind Effects on Structures, pp. 15-25.

MEHTA, K.C., McDONALD, J.R., 1986, **Structural Dynamic in Hurricanes and Tornadoes**. Proceedings of the Third ASCE Engg. Mech. Specialty Conference on Dynamic Response of Structures, pp. 28-43.

NALIVKIN, D.V., 1983, **Hurricanes, Storms and Tornadoes**. Rotterdam: A.A. Balkema, 597 p.

NECHET, D., 2002, **Ocorrência de Tornados no Brasil**. Boletim da Sociedade Brasileira de Meteorologia, 26, nº 2, pp. 29-39.

OLIVEIRA, I.P.V., 2000, **Distribuição Espaço-Temporal e Análise de Tornados em Santa Catarina no Período de 1975 a 2000**. Trabalho de Conclusão de Curso do Departamento de Geociências da Universidade Federal de Santa Catarina, SC, Brasil.

PADDLEFORD, D.F., 1969, **Characteristics of Tornado Generated Missiles**. Report nº WCAP- 7897, Westinghouse Electric Corp.

ROTZ, J.V., YEH, G.C.K., BERTWELL, W., 1974, **Tornado and Extreme Wind Design Criteria for Nuclear Power Plant**. Topical Report nº BC-TOP-3A Revision 3, Bechtel Power Corporation.

SAVORY, E., PARKE, G.A.R., ZEINODDINI, M., TOY, N., DISNEY, P., 2001, **Modelling of Tornado and Microburst-Induced Wind Loading and Failure of a Lattice Transmission Tower**. Engineering Structures, 23, pp. 365-375.

SCHWARZKOPF, M.L.A., ROSSO, L.C., SORICHETTI, P., 1993, **Riesgo de Tornados y Corrientes Descendentes en la Argentina**. Workshop of the Task Force on High Intensity Windson Transmission Lines, pp. 19-23.

SCRUTON, C., ROGERS, E.W.E., 1971, **Steady and Unsteady Wind Loadings of Buildings and Structures**. Philosophical Transactions of the Royal Society, 269, pp. 353-383.

SHERMAN, Z., 1973, **Residential Buildings Engineered to Resist Tornadoes**. Journal of the Structural Division, ASCE, 99, pp. 701-714.

SIMIU, E., CORDES, M., 1976, **Tornado-Borne Missile Speeds**. NBSIR 76-1050, National Bureau of Standards.

SIMIU, E., CORDES, M., 1980, **Probabilistic Assessment of Tornado-Borne Missile Speeds**. NBSIR 80-2117, National Bureau of Standards.

SIMIU, E., SCANLAN, R.H., 1986, **Wind Effects on Structures**. Wiley Interscience, 589 p.

Southern Building Code, 1965. Birmingham, Ala.

SPARKS, P.R., HESSIG, M.L., MURDEN, J.A., SILL, B.L., 1988, **On the Failure of Single Storied Wood Framed Houses in Severe Storms**. WEIA, 29, pp. 245-252.

THOM, H.C.S., 1963, **Tornado Probabilities**. Monthly Weather Review, 91, pp. 730-736.

Uniform Building Code, 1975. International Conference of Building Officials. Los Angeles.

VICKERY, B.J., KAO, K.H., 1972, **Drag of Along-Wind Response of Slender Structures**. Journal of the Structural Division, ASCE, 98, pp. 21-36.

WEN, Y.K., 1975, **Dynamic Tornadic Wind Loads on Tall Buildings**. Journal of the Structural Division, pp. 169-185.

YING, S.J., CHANG, C.C., 1970, **Exploratory Model Study of Tornado-Like Vortex Dynamics**. Journal of the Atmospheric Sciences, 27, pp. 3-14.

8 Apêndice

É demonstrado o processo de obtenção da aceleração nas direções x e y, adaptado de Wen (1975):

$$a_{cx} = u_t + u \cdot u_x + v \cdot u_y + w \cdot u_z \quad (8.1)$$

$$a_{cy} = v_t + u \cdot v_x + v \cdot v_y + w \cdot v_z \quad (8.2)$$

onde u, v e w são dados no texto (equação 3.5).

$$u_t = -r_t \cdot (T_r \cdot \text{sen}\phi + R_r \cdot \text{cos}\phi) + T_t \cdot (T \text{cos}\phi - R \text{sen}\phi) \quad (8.3)$$

$$v_t = r_t \cdot (T_r \cdot \text{cos}\phi + R_r \cdot \text{sen}\phi) + T_t \cdot (T \text{sen}\phi + R \text{cos}\phi) \quad (8.4)$$

$$u_x = u_r \cdot r_x + u_\phi \cdot \phi_x \quad (8.5)$$

$$u_y = u_r \cdot r_y + u_\phi \cdot \phi_y \quad (8.6)$$

$$v_x = v_r \cdot r_x + v_\phi \cdot \phi_x \quad (8.7)$$

$$v_y = v_r \cdot r_y + v_\phi \cdot \phi_y \quad (8.8)$$

$$u_z = -T_z \cdot \text{sen}\phi - R_z \cdot \text{cos}\phi + U_{0z} \cdot \text{sen}\beta \quad (8.9)$$

$$v_z = T_z \cdot \text{cos}\phi - R_z \cdot \text{sen}\phi + U_{0z} \cdot \text{sen}\beta \quad (8.10)$$

$$u_\phi = -T \text{cos}\phi + R \text{sen}\phi \quad (8.11)$$

$$v_\phi = -T \text{sen}\phi - R \text{cos}\phi \quad (8.12)$$

$$r = \frac{[(S_0 - V \cdot t)^2 + D^2]^{1/2}}{r_{\max}} \quad (8.13)$$

$$r_t = -V \frac{S_0 - V \cdot t}{r \cdot r_{\max}^2} \quad (8.14)$$

$$r_x = \frac{(S_0 - V \cdot t) \text{cos}\beta + D \text{sen}\beta}{r \cdot r_{\max}^2} \quad (8.15)$$

$$r_y = \frac{(S_0 - V \cdot t) \text{sen}\beta - D \text{cos}\beta}{r \cdot r_{\max}^2} \quad (8.16)$$

$$\phi_x = \frac{-r_y}{r} \quad (8.17)$$

$$\phi_y = \frac{r_x}{r} \quad (8.18)$$

$$\theta_t = \frac{VD}{(r.r_{\max})^2} \quad (8.19)$$

$$\text{sen}\phi = D \frac{(S_0 - V.t) \frac{\text{sen}\beta}{D} - \cos\beta}{r.r_{\max}} \quad (8.20)$$

$$\text{cos}\phi = D \frac{(S_0 - V.t) \frac{\text{cos}\beta}{D} + \text{sen}\beta}{r.r_{\max}} \quad (8.21)$$

$$u_r = -T_r.\text{sen}\phi - R_r.\text{cos}\phi \quad (8.22)$$

$$v_r = -R_r.\text{sen}\phi + T_r.\text{cos}\phi \quad (8.23)$$

Nas expressões acima, T e R são dados no texto (equações 3.2 a 3.4); T_r , R_r , T_z e R_z são as derivadas espaciais dessas componentes.